


# Penelopes Retaken

Penelopes retaken may be a small book of mine, it will treat about my <http://www.tonymighty.network/> website!

This project is entirely made with PHP 5.6 and MYSQL, so, maybe someone may find obsolete, however it is a good prictice falling backwards sometimes! However, lates bits of PHP/MYSQL code work perfectly within older techniques.

The only way to find the truth absolute is in the search and change of the past rather than worrying about the future!

The program consists in my latest Zend Style website Design, all the files and folders (files folder only because Avatar is an automation of mine!) in Penelopes Retaken are contained, in this case infinityfree.net Webserver, in htdocs main folder or where either index than error trapping are redirected, Anyway in localhost the project is designed and developed in separated folders within C:\xampp\htdocs\ or C:\wamp\www\ so, maybe you need to change some bits of path within my code!



So, the path is simple cause Penelope Retaken is the FTP Filezilla download of infinityfree.net htdocs folder, which I renamed in Penelopes Retaken because build from the scratch of eva9000.com website Project, except Deadbunny Project whose I preferred CSS3 HTML5 design. Anyway, since some restriction by my webserver my video project is still open to future changes, but according you

modify the php.ini file MAX\_UPLOAD, the program works perfectly and let the user upload very big size video files such as 700 MB or more.

You have to locate in php.in this partition of protocol and amend it accordingly or as you pleased.

```
;;;;;;;;;;;;;
```

```
; File Uploads ;
```

```
;;;;;;;;;;;;;
```

```
; Whether to allow HTTP file uploads.
```

```
; http://php.net/file-uploads
```

```
file_uploads=On
```

```
; Temporary directory for HTTP uploaded files (will use system default if not
```

```
; specified).
```

```
; http://php.net/upload-tmp-dir
```

```
upload_tmp_dir="C:\xampp\tmp"
```

```
; Maximum allowed size for uploaded files.
```

```
; http://php.net/upload-max-filesize
```

```
upload_max_filesize=2000000000M
```

```
; Maximum number of files that can be uploaded via a single request
```

```
max_file_uploads=20000000000
```

And MAX\_POST\_SIZE

You have to locate in php.in this partition of protocol and amend it accordingly or as you pleased.

```
; Maximum size of POST data that PHP will accept.
```

```
; Its value may be 0 to disable the limit. It is ignored if POST data reading
```

```
; is disabled through enable_post_data_reading.
```

```
; http://php.net/post-max-size
```

```
post_max_size = 3000M
```

Which manually is located in C:\xampp\php\ or  
C:\wamp\bin\php\php5.5.12 (Or the php version you are working)\  
But either wamp than swamp have GUI automation for it.

No need to know that this is a project made with [Wamp](#) and/or [Xamp](#)  
and coded with [Notepad++](#).

For any download just visit [www.tonyalmighty.com](http://www.tonyalmighty.com) or  
[www.tonyalmighty.co.uk](http://www.tonyalmighty.co.uk) and search for software and services,  
alternatively from direct cloud [link](#).

Enjoy!

## Basic Zend Design | MYSQL PHP Source Code.

### Blogpost.php

```
<?php
```

```
class BlogPost
```

```
{
```

```
function __construct($inId=null, $inMail=null, $inPost=null,  
$inDatePosted=null, $inavatar=null, $intitle=null, $inmylike=null,  
$dislike=null)
```

```
{
```

```
empty($inId) if (!
```

```
{
```

```
>id = $inId; $this-
```

```
}
```

```
empty($inMail) if (!
```

```
{
```

```
>email = $inMail; $this-
```

```
}
```



```

                                                                 {
                                                                 $this-
>dislike = $dislike;
                                                                 }

}

}

?>
```

## **db.php**

```
<?php

// db.php file necessary to require function declared in index.php

//connect to the db server

$db = mysql_connect ("localhost","root","");
if (!$db)
{
    die("Could not connect! <br />" . "Error number " .
mysql_errno() . ": " . mysql_error());

};

//echo "The connection has been established successfully<br />";
//echo "<br>";
// Use SQL Statement

mysql_query("use blog_db");

if

(mysql_errno() != 0)
```

```

                                                    {
                echo "cannot change database!<br />";

            }
else
{
    //echo "Database has been changed successfully<br />";
};

//echo "<br>";

?>

```

## **delete.php**

```

<?php header('Location: index.php'); ?>

<?php

$host="localhost"; // Host name
$username="root"; // Mysql username
$password=""; // Mysql password
$db_name="blog_db"; // Database name
$tbl_name="blog_posts"; // Table name

// Connect to server and select database.
mysql_connect("$host", "$username", "$password")or die("cannot
connect");
mysql_select_db("$db_name")or die("cannot select DB");

// get value of id that sent from address bar
$id=$_GET['id'];

// Delete data in mysql from row that has this id
$sql="DELETE FROM blog_posts WHERE id='$id'";
$result=mysql_query($sql);

```

```
// if successfully deleted
if($result){

    echo "<p>Post succesfully deleted</p>";

}

else {
echo "Error, cannot delete file.";
}
?>
```

```
<?php
```

```
// close connection
mysql_close();
```

```
?>
```

## **delete\_user.php**

```
<?php header('Location: index.php'); ?>
```

```
<?php
```

```
session_start();
```

```
$id = $_SESSION["u_n"];
```

```
echo $id;
```

```
?>
```

```
<?php
```

```
$link = mysqli_connect("localhost","root","","blog_db");
```





```

                                                                    //
$path = rtrim($image, '/');

                                                                    //
$del_it = "files/" . $path;

                                                                    //r
m_rf($del_it);

                                                                    $path =
rtrim($image, '/');

                                                                    echo
$path;

rrmdir($path);

                                                                    }

    //echo "</table><br>";

    // Free result set
    mysqli_free_result($result);

} else{
    echo "No records matching your query were found.";
}
} else{
    echo "ERROR: Could not able to execute $sql. " .
    mysqli_error($link);

```

```
}

// Close connection

mysqli_close($link);

?>

<?php

$host="localhost"; // Host name
$username="root"; // Mysql username
$password=""; // Mysql password
$db_name="blog_db"; // Database name
$tbl_name="blog_posts"; // Table name

// Connect to server and select database.
mysql_connect("$host", "$username", "$password")or die("cannot
connect");
mysql_select_db("$db_name")or die("cannot select DB");

$id = $_SESSION["u_n"];

$sql="DELETE FROM blog_posts WHERE email='$id'";
$result=mysql_query($sql);

// if successfully deleted
if($result){

    echo "<p>Post succesfully deleted</p>";

}

else {
echo "Error, cannot delete file.";
}
```

?>

<?php

```
// close connection
```

```
mysql_close();
```

?>

<?php

```
function rmdir($dir) {
```

```
    if (is_dir($dir)) {
```

```
        $objects = scandir($dir);
```

```
        foreach ($objects as $object) {
```

```
            if ($object != "." && $object != "..") {
```

```
                if (filetype($dir."/".$object) == "dir") rmdir($dir."/".$object); else unlink($dir."/".$object);
```

```
            }
```

```
        }
```

```
        reset($objects);
```

```
        rmdir($dir);
```

```
    }
```

```
}
```

?>

<?php

```
$_SESSION["user_id"] = "";
```

```
session_destroy();
```

?>

**delete\_video.php**

```
<CTYPE html>
<html lang="en">
<head>
                                                    <meta
charset="utf-8">

<title>tonyalmighty.software</title>

                                                    <link
rel="stylesheet" type="text/css" href="style_.css" />
                                                    <meta
name="viewport" content="width=device-width, initial-scale=1.0">
                                                    <meta
name="author" content="Carmin Rendina">
                                                    <meta
name="description" content="Php Mysl Zend CSS-based design.">

</head>

<!--

-->

<body id="css-zen-garden">

<div class="page-wrapper">

<section class="intro" id="zen-intro">

                                                    <header
role="banner">

                                                    <h1> <a
href="/index.php">[ tonyalmighty.software ] </a></h1>
```

</header>

class="summary" id="zen-summary" role="article">

<div

<p>

</p>

<p>

[<b>Register</b></a> | \[Home</a> | \\[Links</a> | \\\[Contact</a>\\\]\\\(/contact\\\_me.php\\\)\\]\\(http://www.tonyalmighty.com/\\)\]\(/index.php\)](register user.php)

</div>

<!-- Start Paragraph -->

class="preamble" id="zen-preamble" role="article">

<div

Video Upload</h1>

<h1>

<hr>

</p>

<p>

```
<?php
```

```
$link = mysqli_connect("localhost","root","","blog_db");
```

```
$id = $_POST['id'];
```

```
// Check connection
```

```
if($link === false){
```

```
    die("ERROR: Could not connect. " . mysqli_connect_error());
```

```
}
```

```
// Attempt select query execution
```

```
$sql = "SELECT * FROM videos WHERE id like '$id'";
```

```
if($result = mysqli_query($link, $sql)){
```

```
    if(mysqli_num_rows($result) > 0){
```

```
        while($row = mysqli_fetch_array($result)){
```

```
            = $row['url'];
```

```
$image
```

```
substr($image, 17);
```

```
$path =
```

```
cho $path;
```

```
//e
```

\$file =

\$path;

```
if (!unlink($file))
```

```
{
    echo ("Error deleting $file");
}
```

```
else
```

```
{
    //echo ("$file");
}
```

```
    // Free result set
    mysqli_free_result($result);
```

```
    } else{
```

```
        echo "No records matching your query were found.";
```

```
    }
```

```
} else{
```

```
    echo "ERROR: Could not able to execute $sql. " .
    mysqli_error($link);
}
```

```
// Close connection
```

```
mysqli_close($link);
```

```
?>
```

```
<?php
```

```
$link = mysqli_connect("localhost","root","","blog_db");
```

```
$x1 = $_POST['id'];
```

```
// Check connection
```

```
if($link === false){
```

```
    die("ERROR: Could not connect. " . mysqli_connect_error());
}
```

```
// Attempt update query execution
$sql = "DELETE FROM videos WHERE id='$x1'";
if(mysqli_query($link, $sql)){
    echo "Records were deleted successfully.";
} else {
    echo "ERROR: Could not able to execute $sql. " .
mysqli_error($link);
}
```

```
// Close connection
mysqli_close($link);
?>
```

```
<!------->
----->
```

</p>

<hr>

</div>

</section>

<div

class="main supporting" id="zen-supporting" role="main">

<div

class="requirements" id="zen-requirements" role="article">

<br><p



```
role="contentinfo" align = "right" /><h2>tonyalmighty.software  
&copy All Rights Reserved</h2></a></p><br>
```

```
</div>
```

```
</div>
```

```
class="sidebar" role="complementary">
```

```
<aside
```

```
class="wrapper">
```

```
<div
```

```
class="design-selection" id="design-selection">
```

```
<div
```

```
class="select">Select a Design:</h3>
```

```
<h3
```

```
role="navigation">
```

```
<nav
```

```
<ul>
```

```
<li>
```

```
action="search.php" method="POST">
```

```
<form
```

```
value = "Search"/> <input type="text" size="20" name="title"
```

```
</li><br>
```

```
<li><hr></li>
```

```
<li>
```

```
<a
```

```
href="/index.php" class="design-name">Home</a>
```

```
</li>
```

```
<li>
```

```
<a
```

```
href="http://www.tonyalmighty.com" class="design-name">Links</a>
```

```
</li>
```

```
<li>
```

```
<a
```

```
href="/contact_me.php" class="design-name">Contact</a>
```

```
</li>
```

```
<li><hr></li>
```

</nav>

</div>

class="design-archives" id="design-archives">

<div

role="navigation">

<nav

<ul>

class="next">

<li

</li>

class="viewall">

<li

</li>

```
</ul>
```

```
</nav>
```

```
</div>
```

```
</aside>
```

```
</div>
```

```
</body>
```

```
</html>
```

## **delete-video.php**

```
<!DOCTYPE html>
```

```
<html lang="en">
```

```
<head>
```

```
<meta
```

```
charset="utf-8">
```

```
<title>tonyalmighty.software</title>
```

```
<link
```

```
rel="stylesheet" type="text/css" href="style_.css" />
```

```
<meta
```

```
name="viewport" content="width=device-width, initial-scale=1.0">
```

```
<meta
```

```
name="author" content="Carmin Rendina">
```

```
<meta
```

```
name="description" content="Php Mysl Zend CSS-based design.">
```

```
</head>
```

```
<!--
```

```
-->
```

```
<body id="css-zen-garden">
```

```
<div class="page-wrapper">
```

```
<section class="intro" id="zen-intro">
```

```
role="banner">
```

```
<header
```

```
href="/index.php">[ tonyalmighty.software ] </a></h1>
```

```
<h1> <a
```

```
</header>
```

```
class="summary" id="zen-summary" role="article">
```

```
<div
```

```
<p>
```

```
</p>
```

```
<p>
```

```
<a href="register user.php"><b>Register</b></a> | <a  
href="/index.php">Home</a> | <a  
href="http://www.tonyalmighty.com/">Links</a> | <a
```

[Contact](/contact_me.php)

</div>

<!-- Start Paragraph -->

class="preamble" id="zen-preamble" role="article">

<div

Delete Video By id Number</h1>

<h1>

<hr>

</p>

<div class="block-divider"></div>

<p>

<form id="form" action="delete\_video.php" method="post" enctype="multipart/form-data">

<label class="name"><input type="text" placeholder="Place a Video Id:" id="name" name="id" style=Color:#566573; /><br /><br />

</label>

```
<br /><a href="javascript:{}"
onclick="document.getElementById('form').submit(); return false;"
class="link1"><h2>Delete</h2></a>
</form>
```

```
<hr>
<?php require("main.php"); ?>
</p>
```

```
<hr>
```

```
</div>
```

```
</section>
```

```
<div
class="main supporting" id="zen-supporting" role="main">
```

```
<div
class="requirements" id="zen-requirements" role="article">
```

```
<br><p
role="contentinfo" align = "right" /><h2>tonyalmighty.software
&copy All Rights Reserved</h2></a></p><br>
```

```
</div>
```

```
</div>
```

```
<aside
class="sidebar" role="complementary">
```





```
href="/index.php" class="design-name">Home</a> <a
```

```
</li>
```

```
<li>
```

```
href="http://www.tonyalmighty.com" class="design-name">Links</a> <a
```

```
</li>
```

```
<li>
```

```
href="/contact_me.php" class="design-name">Contact</a> <a
```

```
</li>
```

```
<li><hr></li>
```

```
</nav>
```

```
</div>
```

```
class="design-archives" id="design-archives"> <div
```

role="navigation">

<nav

<ul>

class="next">

<li

</li>

class="viewall">

<li

</li>

</ul>

</nav>

</div>

</aside>

```
</div>
```

```
</body>
```

```
</html>
```

## **dislike.php**

```
<?php header('Location: index.php'); ?>
```

```
<?php
```

```
$link = mysqli_connect("localhost","root","","blog_db");
```

```
$id=$_GET['id'];
```

```
//$x1 = $_POST['id'];
```

```
$dislike = $_POST['dislike'];
```

```
// Check connection
```

```
if($link === false){
```

```
    die("ERROR: Could not connect. " . mysqli_connect_error());
```

```
}
```

```
// Attempt update query execution
```

```
$sql = "UPDATE blog_posts SET dislike=dislike + 1 WHERE id=$id";
```

```
if(mysqli_query($link, $sql)){
```

```
    // echo "Records were updated successfully.";
```

```
} else {
```

```
    echo "ERROR: Could not able to execute $sql. " .
```

```
mysqli_error($link);
```

```
}
```

```
// Close connection
```

```
mysqli_close($link);

?>

<?php

echo "<br>";

echo "<b>You have updated the following values: </b>";

echo "<br>";

echo "<b>Dislike: </b>" . $like;

echo "</div>";

?>
```

## **dislike\_video.php**

```
<!DOCTYPE html>
<html lang="en">
<head>
<meta
charset="utf-8">
<title>tonyalmighty.software | Contact Me</title>
<link
rel="stylesheet" type="text/css" href="style_.css" />
<meta
name="viewport" content="width=device-width, initial-scale=1.0">
<meta
name="author" content="Carmine Rendina">
<meta
name="description" content="Php Mysql Zend CSS-based design.">
</head>
```

```
<!--
```

```
-->
```

```
<body id="css-zen-garden">
```

```
<div class="page-wrapper">
```

```
<section class="intro" id="zen-intro">
```

```
role="banner">
```

```
href="/index.php">[ tonyalmighty.software ] </a></h1>
```

```
</header>
```

```
class="summary" id="zen-summary" role="article">
```

```
<p>
```

```
</p>
```

```
<p>
```

```
<a href="register user.php"><b>Register</b></a> | <a
```

```
href="/index.php">Home</a> | <a
href="http://www.tonymighty.com/">Links</a> | <a
href="/contact_me.php">Contact</a>
```

```
</div>
```

```
<!--          Start Paragraph          -->
```

```
class="preamble" id="zen-preamble" role="article">
```

```
<div
```

```
<br><br><br>
```

```
<hr>
```

```
<?php
```

```
$link = mysqli_connect("localhost","root","","blog_db");
```

```
$id=$_GET['dvi'];
```

```
echo "<h1>You disliked ... " . $id . "</h1>";
```

```
// Check connection
```

```
if($link === false){
```

```
    die("ERROR: Could not connect. " . mysqli_connect_error());
```

```
}
```

```
// Attempt update query execution
```

```
$sql = "UPDATE videos SET dislike=dislike + 1 where title='$id';
```

```
if(mysqli_query($link, $sql)){
```

```
    // echo "Records were updated successfully.";
```

```
} else {
```

```
    echo "ERROR: Could not able to execute $sql. " .
```

```
mysqli_error($link);
```

```
}
```

```
// Close connection
```

```
mysqli_close($link);
```

```
?>
```

```
<br><br><br><br><br><hr>
```

```
</div>
```

```
</section>
```

```
class="main supporting" id="zen-supporting" role="main"> <div
```

```
class="requirements" id="zen-requirements" role="article"> <div
```

```
role="contentinfo" align = "right" /><h2>tonyalmighty.software  
&copy; All Rights Reserved</h2></a></p>
```

```
</div>
```

```
</div>
```

```
class="sidebar" role="complementary">                                     <aside
class="wrapper">                                                         <div
class="design-selection" id="design-selection">                           <div
class="select">Select a Design:</h3>                                     <h3
role="navigation">                                                       <nav
<ul>                                                                       <ul>
<li>                                                                       <li>
action="search.php" method="POST">                                       <form
value = "Search"/>               <input type="text" size="20" name="title"
</li><br>
<li><hr></li>
```



</li>

<a

href="/index.php" class="design-name">Home</a>

</li>

<li>

<a

href="http://www.tonyalmighty.com" class="design-name">Links</a>

</li>

<li>

<a

href="/contact\_me.php" class="design-name">Contact</a>

</li>

<li><hr></li>

</nav>

</div>

<div

class="design-archives" id="design-archives">

role="navigation">

<nav

class="next">

<ul>

<li

class="viewall">

</li>

<li

</li>

</ul>

</nav>

</div>

```
</aside>
```

```
</div>
```

```
</body>
```

```
</html>
```

## **display\_user.php**

```
<?php
```

```
session_start();
```

```
//echo $_SESSION["user_id"];
```

```
$id = $_SESSION["user_id"];
```

```
?>
```

```
<!DOCTYPE html>
```

```
<html lang="en">
```

```
<head>
```

```
charset="utf-8"> <meta
```

```
<title>tonyalmighty.software</title>
```

```
rel="stylesheet" type="text/css" href="style_.css" /> <link
```

```
name="viewport" content="width=device-width, initial-scale=1.0"> <meta
```

```
name="author" content="Carmine Rendina"> <meta
```

```
name="description" content="Php Mysql Zend CSS-based design."> <meta
```

```
</head>
```

```
<!--
```

```
-->
```

```
<body id="css-zen-garden">
```

```
<div class="page-wrapper">
```

```
<section class="intro" id="zen-intro">
```

```
role="banner">
```

```
href="/index.php">[ tonyalmighty.software ] </a></h1>
```

```
</header>
```

```
class="summary" id="zen-summary" role="article">
```

```
<header
```

```
<h1> <a
```

```
<div
```

```
<p>
```

```
</p>
```

```
<p>
```

```
<a href="register user.php"><b>Register</b></a> | <a href="/index.php">Home</a> | <a href="http://www.tonyalmighty.com/">Links</a> | <a href="/contact_me.php">Contact</a>
```

```
</div>
```

```
<!-- Start Paragraph -->
```

```
class="preamble" id="zen-preamble" role="article">
```

```
<div
```

```
User Details</h1>
```

```
<h1>
```

```
<hr>
```

```
</p>
```

```
<p>
```

```
<?php
```

```
$link = mysqli_connect("localhost","root","","blog_db");
```

```
// Check connection
```

```
if($link === false){
```

```
    die("ERROR: Could not connect. " . mysqli_connect_error());
```

```
}
```

```

error_reporting(E_ALL & ~E_NOTICE);

// $id=$_GET['id'];

// Attempt select query execution
$sql = "SELECT * FROM blog_posts WHERE id = $id";

if($result = mysqli_query($link, $sql)){
    if(mysqli_num_rows($result) > 0){
        echo "<table border = '0'>";
        echo "<tr>";

                //echo "<th>id</th>";
                //echo "<th>title</th>";
                //echo "<th>url</th>";

        echo "</tr>";
        while($row = mysqli_fetch_array($result)){

                //echo "<tr>";

                echo
"<tr class='hoverTable'>";

                echo "<b>User Id:</b> " . $row['email'] .
"<br><br>";

                echo
"<b>Password:</b> " . "*****" . "<br><br>";

                echo
"<b>Name:</b> " . $row['user_name'] . "<br><br>";

                echo

```



```
"<b>Occupation:</b> " . $row['occupation'] . "<br><br>";
```

echo

```
"<b>Hobby:</b> " . $row['hobby'] . "<br><br>";
```

```
        echo "</tr>";
```

```
    }
```

```
    echo "</table>";
```

```
    // Free result set
```

```
    mysqli_free_result($result);
```

```
    } else{
```

```
        echo "No records matching your query were found.";
```

```
    }
```

```
} else{
```

```
    echo "ERROR: Could not able to execute $sql. " .
```

```
mysqli_error($link);
```

```
}
```

```
// Close connection
```

```
mysqli_close($link);
```

```
?>
```

```
<!------->
```

```
</p>
```

<hr>

</div>



</section>

class="main supporting" id="zen-supporting" role="main"> <div

class="requirements" id="zen-requirements" role="article"> <div

role="contentinfo" align = "right" /><h2>tonyalmighty.software  
&copy; All Rights Reserved</h2></a></p><br>

</div>

</div>

class="sidebar" role="complementary"> <aside

class="wrapper"> <div

class="design-selection" id="design-selection"> <div

class="select">Select a Design:</h3> <h3

role="navigation"> <nav

<ul>

<li>

```
action="search.php" method="POST">
```

```
<input type="text" size="20" name="title"  
value = "Search"/>
```

```
</li><br>
```

```
<li><hr></li>
```

```
<li>
```

```
href="/index.php" class="design-name">Home</a>
```

```
</li>
```

```
<li>
```

```
href="http://www.tonyalmighty.com" class="design-name">Links</a>
```

```
</li>
```

```
<li>
```

```
href="/contact_me.php" class="design-name">Contact</a>
```

</li>

<li><hr></li>

</nav>

</div>

class="design-archives" id="design-archives">

<div

role="navigation">

<nav

<ul>

class="next">

<li

</li>

class="viewall">

<li

```
</li>
```

```
</ul>
```

```
</nav>
```

```
</div>
```

```
</aside>
```

```
</div>
```

```
</body>
```

```
</html>
```

## **edit.php**

```
<!DOCTYPE html>
```

```
<html lang="en">
```

```
<head>
```

```
<meta
```

```
charset="utf-8">
```

```
<title>tonyalmighty.software</title>
```

```
<link
```

```
rel="stylesheet" type="text/css" href="style_.css" />
```

```
name="viewport" content="width=device-width, initial-scale=1.0">
```

```
<meta
```

```
name="author" content="Carmin Rendina">
```

```
<meta
```

```
name="description" content="Php Mysl Zend CSS-based design.">
```

```
<meta
```

```
</head>
```

```
<!--
```

```
-->
```

```
<body id="css-zen-garden">
```

```
<div class="page-wrapper">
```

```
<section class="intro" id="zen-intro">
```

```
role="banner">
```

```
<header
```

```
href="/index.php">[ tonyalmighty.software ] </a></h1>
```

```
<h1> <a
```

```
</header>
```

```
class="summary" id="zen-summary" role="article">
```

```
<div
```

```
<p>
```

</p>

<p>

<a href="register user.php"><b>Register</b></a> | <a href="/index.php">Home</a> | <a href="http://www.tonyalmighty.com/">Links</a> | <a href="/contact\_me.php">Contact</a>

</div>

<!-- Start Paragraph -->

<div class="preamble" id="zen-preamble" role="article">

Edit/Update Post</h1>

<hr>

</p>

<p>

<script type="text/JavaScript">

```
function valid(f) {
f.value = f.value.replace(/[\']/g, ' ')
}

</script>

<?php

$today = date('l jS \of F Y h:i:s A');

$link = mysqli_connect("localhost","root","","blog_db");

// Check connection
if($link === false){
    die("ERROR: Could not connect. " . mysqli_connect_error());
}

$id=$_GET['id'];

// Attempt select query execution
$sql = "SELECT * FROM blog_posts WHERE id = $id";

if($result = mysqli_query($link, $sql)){
    if(mysqli_num_rows($result) > 0){
        echo "<table border = '0'>";
        echo "<tr>";

                //echo "<th>id</th>";
                //echo "<th>title</th>";
                //echo "<th>url</th>";

        echo "</tr>";
        while($row = mysqli_fetch_array($result)){

                //echo "<tr>";
```

echo

```
"<tr class='hoverTable'>"
```

```
        echo "<form action = 'update.php' method =  
'POST'>";
```

```
        echo "<td width = '0px'><b><p class='wb-stl-  
normal'>";
```

```
echo "<tr><td width = '300px'><p class='wb-stl-normal'><b>" .  
$row['email'] . "</b></td></tr>";
```

```
echo "<tr><td><input type = 'hidden' name='id' style='width: 0'  
value = $id / ></td></tr>";
```

```
        echo "<tr><td><textarea name='post' title='Post  
Your Message' rows='10' cols='60'>";
```

```
echo $row['post'];
```

```
        echo "</textarea></td></tr>";
```

?>

<?

php



```
echo "<tr><td><br>Title: <input type = 'text' name='my_title'
style='width: 300' value = ''?><?php echo $row['title'];?>
```

```
php echo "'></td></tr>";?>
```

<?

```
php
```

<?

```
echo "<td><b><input type = 'hidden' name='date_posted'
style='width: 0' value = '$today' /></b></td>";
```

```
        echo "</tr>";
```

```
    }
```

```
    echo "</table><br>";
```

```
    // Free result set
```

```
    mysqli_free_result($result);
```

```
    } else{
```

```
        echo "No records matching your query were found.";
```

```
    }
```

```
} else{
```

```
    echo "ERROR: Could not able to execute $sql. " .
mysqli_error($link);
```

```
}
```

```
// Close connection
```

```
mysqli_close($link);
```

```
?>
```

```
<?php
```

```
//echo "<input type='submit' value='Update record'/></form>";
```

```
echo "<div class='field-group'>
```

```
<div><input type='submit' name='edit' value='Update' class='form-submit-button'></div>
```

```
</div>
```

```
";
```

```
?>
```

```
</p>
```

```
<hr>
```

```
</div>
```

```
</section>
```

```
<div class="main supporting" id="zen-supporting" role="main">
```

```
<div class="requirements" id="zen-requirements" role="article">
```

```
<br><p
```

```
role="contentinfo" align = "right" /><h2>tonyalmighty.software  
&copy All Rights Reserved</h2></a></p><br>
```

```
</div>
```

```
</div>
```

```
class="sidebar" role="complementary">
```

```
<aside
```

```
class="wrapper">
```

```
<div
```

```
class="design-selection" id="design-selection">
```

```
<div
```

```
class="select">Select a Design:</h3>
```

```
<h3
```

```
role="navigation">
```

```
<nav
```

```
<ul>
```

```
<li>
```

```
action="search.php" method="POST">
```

```
<form
```

```
value = "Search"/> <input type="text" size="20" name="title"
```

```
</li><br>
```

```
<li><hr></li>
```

```
<li>
```

```
<a
```

```
href="/index.php" class="design-name">Home</a>
```

```
</li>
```

```
<li>
```

```
<a
```

```
href="http://www.tonyalmighty.com" class="design-name">Links</a>
```

```
</li>
```

```
<li>
```

```
<a
```

```
href="/contact_me.php" class="design-name">Contact</a>
```

```
</li>
```

```
<li><hr></li>
```

</nav>

</div>

class="design-archives" id="design-archives">

<div

role="navigation">

<nav

<ul>

class="next">

<li

</li>

class="viewall">

<li

</li>

```
</ul>
```

```
</nav>
```

```
</div>
```

```
</aside>
```

```
</div>
```

```
</body>
```

```
</html>
```

## **follow.php**

```
<!DOCTYPE html>
```

```
<html lang="en">
```

```
<head>
```

```
charset="utf-8">
```

```
<meta
```

```
<title>tonyalmighty.software</title>
```

```
rel="stylesheet" type="text/css" href="style_.css" />
```

```
<link
```

```
name="viewport" content="width=device-width, initial-scale=1.0">
```

```
<meta
```

```
name="author" content="Carmine Rendina">
```

```
<meta
```

```
name="description" content="Php Mysql Zend CSS-based design.">
```

```
<meta
```

```
</head>
```

```
<!--
```

-->

```
<body id="css-zen-garden">
```

```
<div class="page-wrapper">
```

```
<section class="intro" id="zen-intro">
```

```
<header  
role="banner">
```

<header

```
href="/index.php">[ tonyalmighty.software ] </a></h1>
```

<h1> <a

```
</header>
```

```
class="summary" id="zen-summary" role="article">
```

<div

<p>

</p>

<p>

```
<a href="register_user.php"><b>Register</b></a> | <a  
href="/index.php">Home</a> | <a  
href="http://www.tonyalmighty.com/">Links</a> | <a  
href="/contact_me.php">Contact</a>
```

</div>

<!-- Start Paragraph -->

class="preamble" id="zen-preamble" role="article">

Follow </h1>

<hr>

</p>

<p>

<!------->

<script type="text/JavaScript">

function valid(f) {



```
f.value = f.value.replace(/\\"/>

```

```
</script>
```

```
<?php
```

```
session_start();
```

```
echo $_SESSION["user_id"];
```

```
//
```

```
$_SESSION["var"] = $row['email'];
```

```
//
```

```
echo "<b>" . $_SESSION["u_n"] . "</b>";
```

```
//
```

```
?>
```

```
<?php
```

```
$link = mysqli_connect("localhost","root","","blog_db");
```

```
// Check connection
```

```
if($link === false){
```

```
    die("ERROR: Could not connect. " . mysqli_connect_error());
```

```
}
```

```
$id=$_SESSION["user_id"];
```

```
// Attempt select query execution
```

```
$sql = "SELECT * FROM blog_posts WHERE id = $id";
```

```

if($result = mysqli_query($link, $sql)){
    if(mysqli_num_rows($result) > 0){

        while($row = mysqli_fetch_array($result)){

                                                    //echo
$row['avatar'];

                                                    $av =
$row['avatar'];

        }

        // Free result set
        mysqli_free_result($result);

    } else{
        echo "No records matching your query were found.";
    }
} else{
    echo "ERROR: Could not able to execute $sql. " .
mysqli_error($link);
}

// Close connection

mysqli_close($link);

?>

<?php

$link = mysqli_connect("localhost","root","","blog_db");

// Check connection

```

```

if($link === false){
    die("ERROR: Could not connect. " . mysqli_connect_error());
}

$id=$_GET['id'];

// Attempt select query execution
$sql = "SELECT * FROM blog_posts WHERE id = $id";

if($result = mysqli_query($link, $sql)){
    if(mysqli_num_rows($result) > 0){
        echo "<table border = '0'>";
        echo "<tr>";

        echo "</tr>";
        while($row = mysqli_fetch_array($result)){

            //echo "<tr>";

            echo
"<tr class='hoverTable'>";

            echo "<form action = 'follow_insert.php' method =
'POST'>";

echo "<input type = 'hidden' name ='avatar' value = '$av'>";

echo "<input type = 'hidden' name ='avatar2' value = '$id'>";

echo "<tr><td width = '300px'><p class='wb-stl-normal'><b>" .
"Follows " . "</b></td></tr>";

```

```
echo "<tr><td width = '300px'><p class='wb-stl-normal'><b>" .  
$row['email'] . "</b></td></tr>";
```

?>

<?

php

/

```
/session_start();
```

/

```
/echo $_SESSION["user_id"];
```

```
$_SESSION["var"] = $row['email'];
```

```
echo "<b>" . $_SESSION["u_n"] . "</b>";
```

?>

<?

php

```

        echo "</tr>";
    }
    echo "</table><br>";

    // Free result set
    mysqli_free_result($result);

} else{
    echo "No records matching your query were found.";
}
} else{
    echo "ERROR: Could not able to execute $sql. " .
mysqli_error($link);
}

// Close connection

mysqli_close($link);

?>

<?php

//echo "<input type='submit' value='Update record' /></form>";

echo "<div class='field-group'>

<div><input type='submit' name='edit' value='Follow' class='form-
submit-button'></div>

</div>

";

```

?>

<!-------  
----->

</p>

<hr>

</div>

</section>

class="main supporting" id="zen-supporting" role="main">

class="requirements" id="zen-requirements" role="article">

role="contentinfo" align = "right" /><h2>tonyalmighty.software  
&copy; All Rights Reserved</h2></a></p><br>

</div>

</div>

<aside

```
class="sidebar" role="complementary">
```

```
<div
```

```
class="wrapper">
```

```
<div
```

```
class="design-selection" id="design-selection">
```

```
<h3
```

```
class="select">Select a Design:</h3>
```

```
<nav
```

```
role="navigation">
```

```
<ul>
```

```
<li>
```

```
<form
```

```
action="search.php" method="POST">
```

```
value = "Search"/> <input type="text" size="20" name="title"
```

```
</li><br>
```

```
<li><hr></li>
```

```
<li>
```

```
href="/index.php" class="design-name">Home</a>
```

```
</li>
```

```
<li>
```

```
href="http://www.tonyalmighty.com" class="design-name">Links</a>
```

```
</li>
```

```
<li>
```

```
href="/contact_me.php" class="design-name">Contact</a>
```

```
</li>
```

```
<li><hr></li>
```

```
</nav>
```

```
</div>
```

```
class="design-archives" id="design-archives">
```

```
<div
```



role="navigation">

<nav

class="next">

<ul>

<li

</li>

class="viewall">

<li

</li>

</ul>

</nav>

</div>

</aside>

</div>

```
</body>
</html>
```

## **follow\_insert.php**

```
<?php header('Location: index.php'); ?>
```

```
<?php
```

```
$_twist_one = $_POST['avatar2'];
```

```
$link = mysqli_connect("localhost","root","","blog_db");
```

```
// Check connection
```

```
if($link === false){
```

```
    die("ERROR: Could not connect. " . mysqli_connect_error());
```

```
}
```

```
//$id=$_SESSION["user_id"];
```

```
// Attempt select query execution
```

```
$sql = "SELECT * FROM blog_posts WHERE id = $_twist_one";
```

```
if($result = mysqli_query($link, $sql)){
```

```
    if(mysqli_num_rows($result) > 0){
```

```
        while($row = mysqli_fetch_array($result)){
```

```
                                                    //echo
```

```
$row['avatar'];
```

```
echo
```

```
$row['avatar'];
```

\$av2 =

```
$row['avatar'];
```

```
}
```

```
// Free result set
```

```
mysqli_free_result($result);
```

```
} else{
```

```
    echo "No records matching your query were found.";
```

```
}
```

```
} else{
```

```
    echo "ERROR: Could not able to execute $sql. " .
```

```
mysqli_error($link);
```

```
}
```

```
// Close connection
```

```
mysqli_close($link);
```

```
?>
```

```
<?php
```

```
session_start();
```

```
echo $_SESSION["user_id"];
```

```
echo $_SESSION["var"];
```

```
$x1 = $_SESSION["user_id"];
```

```
$x2 = $_SESSION["var"];
```

```
$x3 = $_SESSION["u_n"];
```

```
$x4 = $_POST["avatar"];
```

```
?>
```

```
<?php

$link = mysqli_connect("localhost","root","","blog_db");

// Check connection
if($link === false){
    die("ERROR: Could not connect. " . mysqli_connect_error());
}

// Attempt insert query execution
$sql = "INSERT INTO follow (log_id,
following,follower_name,avatar,avatar2) VALUES
('$x1','$x2','$x3','$x4','$av2')";
if(mysqli_query($link, $sql)){
    echo "Records inserted successfully.";
} else{
    echo "ERROR: Could not able to execute $sql. " .
mysqli_error($link);
}

// Close connection
mysqli_close($link);

?>
```

## **follower.php**

```
<!DOCTYPE html>
<html lang="en">
<head>
<meta
charset="utf-8">

<title>tonyalmighty.software</title>
<link
rel="stylesheet" type="text/css" href="style_.css" />
```

```
name="viewport" content="width=device-width, initial-scale=1.0">
```

```
<meta
```

```
name="author" content="Carmin Rendina">
```

```
<meta
```

```
name="description" content="Php Mysl Zend CSS-based design.">
```

```
<meta
```

```
</head>
```

```
<!--
```

```
-->
```

```
<body id="css-zen-garden">
```

```
<div class="page-wrapper">
```

```
<section class="intro" id="zen-intro">
```

```
role="banner">
```

```
<header
```

```
href="/index.php">[ tonyalmighty.software ] </a></h1>
```

```
<h1> <a
```

```
</header>
```

```
class="summary" id="zen-summary" role="article">
```

```
<div
```

```
<p>
```

</p>

<p>

```
<a href="register user.php"><b>Register</b></a> | <a href="/index.php">Home</a> | <a href="http://www.tonyalmighty.com/">Links</a> | <a href="/contact_me.php">Contact</a>
```

</div>

```
<!--          Start Paragraph          -->
```

```
class="preamble" id="zen-preamble" role="article">
```

<h1>

<?

```
php
session_start();
echo $_SESSION["u_n"] . " " ;
?>
Followers
```

</h1>

<hr>

</p>

<p>

```
<!-------  
----->
```

```
<?php
```

```
$link = mysqli_connect("localhost","root","","blog_db");
```

```
// Check connection
```

```
if($link === false){
```

```
    die("ERROR: Could not connect. " . mysqli_connect_error());
```

```
}
```

```
//session_start();
```

```
//echo $_SESSION["user_id"];
```

```
$x1 = $_SESSION["user_id"];
```

```
//echo $_SESSION["u_n"] . " Followings";
```

```
$search = $_SESSION["u_n"];
```

```
// Attempt select query execution
```

```
$sql = "SELECT * FROM follow WHERE following = '$search'";
```

```
if($result = mysqli_query($link, $sql)){
```

```
    if(mysqli_num_rows($result) > 0){
```

```
        echo "<table border = '0' >";
```

```
        while($row = mysqli_fetch_array($result)){
```

```
            echo  
            "<tr class='hoverTable'>";
```

```
            echo  
            "<div align='left'>";
```





```
    } else{

        echo "No records matching your query were found.";

    }

} else{

    echo "ERROR: Could not able to execute $sql. " .
mysql_error($link);

}

// Close connection

mysqli_close($link);

?>

<!------->
```

</p>

<hr>

</div>

</section>

class="main supporting" id="zen-supporting" role="main">

<div

class="requirements" id="zen-requirements" role="article">

<div

role="contentinfo" align = "right" /><h2>tonyalmighty.software  
&copy; All Rights Reserved</h2></a></p><br>

<br><p

</div>

</div>

class="sidebar" role="complementary">

<aside

<div

```
class="wrapper">
```

```
class="design-selection" id="design-selection">
```

```
class="select">Select a Design:</h3>
```

```
role="navigation">
```

```
action="search.php" method="POST">
```

```
value = "Search"/> <input type="text" size="20" name="title"
```

```
</li><br>
```

```
<li><hr></li>
```

```
<div
```

```
<h3
```

```
<nav
```

```
<ul>
```

```
<li>
```

```
<form
```

```
<li>
```

```
<a
```

`href="/index.php" class="design-name">Home</a>`

`</li>`

`<li>`

`href="http://www.tonyalmighty.com" class="design-name">Links</a>`

`</li>`

`<li>`

`href="/contact_me.php" class="design-name">Contact</a>`

`</li>`

`<li><hr></li>`

`</nav>`

`</div>`

`class="design-archives" id="design-archives">`

`<div`

`<nav`

role="navigation">

<ul>

class="next">

<li

</li>

class="viewall">

<li

</li>

</ul>

</nav>

</div>

</aside>

```
</div>
```

```
</body>
```

```
</html>
```

## **followers.php**

```
<?php
```

```
$link = mysqli_connect("localhost","root","","blog_db");
```

```
// Check connection
```

```
if($link === false){
```

```
    die("ERROR: Could not connect. " . mysqli_connect_error());
```

```
}
```

```
error_reporting(E_ALL & ~E_NOTICE);
```

```
$id=$_GET['ufo'];
```

```
// Attempt select query execution
```

```
$sql = "SELECT * FROM blog_posts WHERE email = '$id' LIMIT 1";
```

```
if($result = mysqli_query($link, $sql)){
```

```
    if(mysqli_num_rows($result) > 0){
```

```
        echo "<table border = '0'>";
```

```
        echo "<tr>";
```

```
        echo "</tr>";
```

```
        while($row = mysqli_fetch_array($result)){
```

echo

```

"<tr class='hoverTable'>";

                //echo "<b>User Id:</b> " . $row['email'] .
"<br><br>";

$user_flw = $row['email'];

                echo "</tr>";
        }
        echo "</table>";

        // Free result set
        mysqli_free_result($result);

    } else{
        echo "No records matching your query were found.";
    }
} else{
    echo "ERROR: Could not able to execute $sql. " .
mysqli_error($link);
}

// Close connection
mysqli_close($link);

?>

<!DOCTYPE html>
<html lang="en">
<head>
<meta
charset="utf-8">

<title>tonyalmighty.software</title>

```



```
rel="stylesheet" type="text/css" href="style_.css" /> <link
name="viewport" content="width=device-width, initial-scale=1.0"> <meta
name="author" content="Carmine Rendina"> <meta
name="description" content="Php Mysql Zend CSS-based design."> <meta

</head>

<!--

-->

<body id="css-zen-garden">

<div class="page-wrapper">

<section class="intro" id="zen-intro">

role="banner"> <header
href="/index.php">[ tonyalmighty.software ] </a></h1> <h1> <a

</header>

class="summary" id="zen-summary" role="article"> <div
<p> <p>
```

</p>

<p>

```
<a href="register user.php"><b>Register</b></a> | <a
href="/index.php">Home</a> | <a
href="http://www.tonyalmighty.com/">Links</a> | <a
href="/contact_me.php">Contact</a>
```

</div>

```
<!--           Start Paragraph           -->
```

<div

```
class="preamble" id="zen-preamble" role="article">
```

<h1> <?

```
php
```

```
    echo $user_flw . " " ;
```

```
?>Followers    </h1>
```

<hr>

</p>

<p>

```
<!-------  
----->
```

```
<?php
```

```
$link = mysqli_connect("localhost","root","","blog_db");
```

```
// Check connection
```

```
if($link === false){
```

```
    die("ERROR: Could not connect. " . mysqli_connect_error());
```

```
}
```

```
$search = $user_flw;
```

```
// Attempt select query execution
```

```
$sql = "SELECT * FROM follow WHERE following = '$search'";
```

```

if($result = mysqli_query($link, $sql)){

    if(mysqli_num_rows($result) > 0){

        echo "<table border = '0' >";

        while($row = mysqli_fetch_array($result)){

                                                    echo

"<tr class='hoverTable'>";

                                                    echo

"<div align='left'>";

$my_flgw_dis = $row['follower_name'];

cho "<td><b><p class='wb-stl-normal'>" . "User Name: </b>" . //e
$row['follower_name']; // . "</td>";

```



```
// Close connection
```

```
mysqli_close($link);
```

```
?>
```

```
<!------->
```

```
</p>
```

```
<hr>
```

</div>

</section>

<div

class="main supporting" id="zen-supporting" role="main">

<div

class="requirements" id="zen-requirements" role="article">

<br><p

role="contentinfo" align = "right" /><h2>tonyalmighty.software  
&copy; All Rights Reserved</h2></a></p><br>

</div>

</div>

<aside

class="sidebar" role="complementary">

<div

class="wrapper">

<div

class="design-selection" id="design-selection">

<h3

class="select">Select a Design:</h3>

<nav

role="navigation">

<ul>

<li>

```
action="search.php" method="POST">
<input type="text" size="20" name="title"
value = "Search"/>
```

```
</li><br>
```

```
<li><hr></li>
```

```
<li>
<a
href="/index.php" class="design-name">Home</a>
```

```
</li>
```

```
<li>
```

```
<a
href="http://www.tonyalmighty.com" class="design-name">Links</a>
```

```
</li>
```

```
<li>
```



```
href="/contact_me.php" class="design-name">Contact</a>
```

```
<a
```

```
</li>
```

```
<li><hr></li>
```

```
</nav>
```

```
</div>
```

```
class="design-archives" id="design-archives">
```

```
<div
```

```
role="navigation">
```

```
<nav
```

```
<ul>
```

```
class="next">
```

```
<li
```

```
</li>
```

```
class="viewall">
```

```
<li
```

```
</li>
```

```
</ul>
```

```
</nav>
```

```
</div>
```

```
</aside>
```

```
</div>
```

```
</body>
```

```
</html>
```

## **following.php**

```
<!DOCTYPE html>
```

```
<html lang="en">
```

```
<head>
```

```
charset="utf-8">
```

```
<meta
```

```
<title>tonyalmighty.software</title>
```

```
rel="stylesheet" type="text/css" href="style_.css" /> <link
name="viewport" content="width=device-width, initial-scale=1.0"> <meta
name="author" content="Carmin Rendina"> <meta
name="description" content="Php Mysl Zend CSS-based design."> <meta
</head>
<!--
-->
<body id="css-zen-garden">
<div class="page-wrapper">
<section class="intro" id="zen-intro">
role="banner"> <header
href="/index.php">[ tonyalmighty.software ] </a></h1> <h1> <a
</header>
class="summary" id="zen-summary" role="article"> <div
<p> <p>
```

</p>

<p>

```
<a href="register user.php"><b>Register</b></a> | <a href="/index.php">Home</a> | <a href="http://www.tonyalmighty.com/">Links</a> | <a href="/contact_me.php">Contact</a>
```

</div>

```
<!--          Start Paragraph          -->
```

<div

```
class="preamble" id="zen-preamble" role="article">
```

<h1> <?

```
php
session_start();
echo $_SESSION["u_n"] . " " ;
?>
Followings    </h1>
```

<hr>

</p>

<p>

```
<!-------  
----->
```

```
<?php
```

```
$link = mysqli_connect("localhost","root","","blog_db");
```

```
// Check connection
```

```
if($link === false){
```

```
    die("ERROR: Could not connect. " . mysqli_connect_error());
```

```
}
```

```
//session_start();
```

```
$search = $_SESSION["user_id"];
```

```
// Attempt select query execution
```



```
        echo "</tr>";

    }

    echo "</table>";

    // Free result set

    mysqli_free_result($result);

} else{

    echo "No records matching your query were found.";

}

} else{

    echo "ERROR: Could not able to execute $sql. " .
    mysqli_error($link);

}

// Close connection

mysqli_close($link);
```

?>

<!-----  
----->

</p>

<hr>

</div>

</section>

<div  
class="main supporting" id="zen-supporting" role="main">



```
class="requirements" id="zen-requirements" role="article">
```

```
role="contentinfo" align = "right" /><h2>tonyalmighty.software  
&copy; All Rights Reserved</h2></a></p><br>
```

```
class="sidebar" role="complementary">
```

```
class="wrapper">
```

```
class="design-selection" id="design-selection">
```

```
class="select">Select a Design:</h3>
```

```
role="navigation">
```

```
action="search.php" method="POST">
```

```
value = "Search"/>
```

</li><br>

<li><hr></li>

<li>

<a

href="/index.php" class="design-name">Home</a>

</li>

<li>

<a

href="http://www.tonyalmighty.com" class="design-name">Links</a>

</li>

<li>

<a

href="/contact\_me.php" class="design-name">Contact</a>

</li>

```
<li><hr></li>
```

```
</nav>
```

```
</div>
```

```
class="design-archives" id="design-archives">
```

```
<div
```

```
role="navigation">
```

```
<nav
```

```
<ul>
```

```
class="next">
```

```
<li
```

```
</li>
```

```
class="viewall">
```

```
<li
```

```
</li>
```

```
</ul>
```

```
</nav>
```

```
</div>
```

```
</aside>
```

```
</div>
```

```
</body>
```

```
</html>
```

## **following-display.php**

```
<!DOCTYPE html>
```

```
<html lang="en">
```

```
<head>
```

```
charset="utf-8">
```

```
<meta
```

```
<title>tonyalmighty.software</title>
```

```
rel="stylesheet" type="text/css" href="style_.css" />
```

```
<link
```

```
name="viewport" content="width=device-width, initial-scale=1.0">
```

```
<meta
```

```
name="author" content="Carmin Rendina">
```

```
<meta
```

```
name="description" content="Php Mysl Zend CSS-based design.">
```

```
<meta
```

```
</head>
```

```
<!--
```

```
-->
```

```
<body id="css-zen-garden">
```

```
<div class="page-wrapper">
```

```
<section class="intro" id="zen-intro">
```

```
role="banner">
```

```
href="/index.php">[ tonyalmighty.software ] </a></h1>
```

```
</header>
```

```
class="summary" id="zen-summary" role="article">
```

```
<header
```

```
<h1> <a
```

```
<div
```

```
<p>
```

```
</p>
```

```
<p>
```

```
<a href="register user.php"><b>Register</b></a> | <a href="/index.php">Home</a> | <a href="http://www.tonyalmighty.com/">Links</a> | <a href="/contact_me.php">Contact</a>
```

```
</div>
```

```
<!-- Start Paragraph -->
```

```
class="preamble" id="zen-preamble" role="article">
```

```
<div
```

```
<h1>
```

```
php
```

```
<?
```

```
$_GET['my_dis'] . " ";
```

```
echo
```

```
?>
```

```
</h1>
```

```
<hr>
```

```
</p>
```

```
<p>
```

```
<!------->
```

```
<?php
```

```
$link = mysqli_connect("localhost","root","","blog_db");
```

```
// Check connection
```

```
if($link === false){
```

```
    die("ERROR: Could not connect. " . mysqli_connect_error());
```

```
}
```

```
    //echo $_GET['my_dis'];
```

```
$search = $_GET['my_dis'];
```

```
$sql = "SELECT * FROM blog_posts WHERE email = '$search'";
```

```
if($result = mysqli_query($link, $sql)){
```

```
    if(mysqli_num_rows($result) > 0){
```





```
// Free result set

mysqli_free_result($result);

} else{

    echo "No records matching your query were found.<hr>";

}

} else{

    echo "ERROR: Could not able to execute $sql. " .
mysqli_error($link);

}

// Close connection

mysqli_close($link);

?>
```

<!------->

</p>

</div>

</section>

class="main supporting" id="zen-supporting" role="main">

<div

class="requirements" id="zen-requirements" role="article">

<div

role="contentinfo" align = "right" /><h2>tonyalmighty.software  
&copy; All Rights Reserved</h2></a></p><br>

<br><p

</div>

</div>

```
class="sidebar" role="complementary">
```

```
<aside
```

```
class="wrapper">
```

```
<div
```

```
class="design-selection" id="design-selection">
```

```
<div
```

```
class="select">Select a Design:</h3>
```

```
<h3
```

```
role="navigation">
```

```
<nav
```

```
<ul>
```

```
<li>
```

```
action="search.php" method="POST">
```

```
<form
```

```
value = "Search"/> <input type="text" size="20" name="title"
```

```
</li><br>
```

```
<li><hr></li>
```

<li>

<a

href="/index.php" class="design-name">Home</a>

</li>

<li>

<a

href="http://www.tonyalmighty.com" class="design-name">Links</a>

</li>

<li>

<a

href="/contact\_me.php" class="design-name">Contact</a>

</li>

<li><hr></li>

</nav>

</div>

<div

class="design-archives" id="design-archives">

```
role="navigation">
```

```
<nav
```

```
class="next">
```

```
<ul>
```

```
<li
```

```
<?php
```

```
$link = mysqli_connect("localhost","root","","blog_db");
```

```
// Check connection
```

```
if($link === false){
```

```
    die("ERROR: Could not connect. " . mysqli_connect_error());
```

```
}
```

```
//echo $_GET['my_dis'];
```

```
$search = $_GET['my_dis'];
```

```
$sql = "SELECT * FROM blog_posts WHERE email = '$search' LIMIT 1";
```

```
if($result = mysqli_query($link, $sql)){
```

```
    if(mysqli_num_rows($result) > 0){
```

```
        while($row = mysqli_fetch_array($result)){
```

```
                                                    //echo
```

```
"<p>" . "<img src='" . $row['avatar'] . "' width='40'  
height='40'></p>";
```

```
$un = $row['user_name'];
```

```
$sn = $row['surname'];
```

```
$tn = $row['town'];
```

```
$cn = $row['country'];
```

```
echo "<br>" . $un . " " . $sn . "<br><br>";
```

```
$tn . "&nbsp;&nbsp;&nbsp;" . $cn . "<br><br><hr>";
```

```
echo
```

```
    }
```

```
// Free result set

mysqli_free_result($result);

} else{

    //echo "No records matching your query were found.<hr>";

}

} else{

    echo "ERROR: Could not able to execute $sql. " .
mysqli_error($link);

}

// Close connection

mysqli_close($link);

?>

</li>

<li
class="viewall">
```

```
</li>
```

```
</ul>
```

```
</nav>
```

```
</div>
```

```
</aside>
```

```
</div>
```

```
</body>
```

```
</html>
```

## **gallery.php**

```
<!DOCTYPE html>
```

```
<html lang="en">
```

```
<head>
```

```
<meta
```

```
charset="utf-8">
```

```
<title>tonyalmighty.software</title>
```

```
<link
```

```
rel="stylesheet" type="text/css" href="style_.css" />
```

```
<meta
```





<p>

<a href="register user.php"><b>Register</b></a> | <a href="/index.php">Home</a> | <a href="http://www.tonymighty.com/">Links</a> | <a href="/contact\_me.php">Contact</a>

</div>

<!-- Start Paragraph -->

<div class="preamble" id="zen-preamble" role="article">

<h1>Upload Image</h1>

<hr>

</p>

<p>

```
<!------->
```

```
<?php
```

```
$id = $_GET['up_pic'];
```

```
echo "<b>Directory:</b> " . $id;
```

```
echo "<br><br>";
```

```
?>
```

```
<?php
```

```
//error_reporting(E_ALL ^ E_STRICT);
```

```
error_reporting(0);
```

```
if(isset($_FILES['image'])) {
```

```
$errors= array();
```

```
$file_name = $_FILES['image']['name'];
```

```
$file_size = $_FILES['image']['size'];
```

```
$file_tmp = $_FILES['image']['tmp_name'];
```

```
$file_type=$_FILES['image']['type'];
```

```

$file_ext=strtolower(end(explode('.',$_FILES['image']['name'])));

$extensions= array("jpeg","jpg","png");

if(in_array($file_ext,$extensions)=== false){

$errors[]="Extension not allowed, please choose a JPEG or PNG
file. <br>";
}

if($file_size > 2097152){

$errors[]='File size must be exactly 2 MB';
}

if(empty($errors)==true){

move_uploaded_file($file_tmp,"$id".$file_name);

//echo
"Upload Successful!<br><br>";

echo
"<script> alert('Uload Successful!');</script>";
}el
se{

print_r($errors);
}

?>

<form action="" method="POST" enctype="multipart/form-data">

```

```
<input type="file" name="image" onchange="form.submit()"/>
```

```
<!-- <div class='field-group'>
```

```
<div><input type='submit' name='send' value='Submit' class='form-submit-button'></span></div>
```

```
</div> -->
```

```
</form>
```

```
<!------- POST IMAGE & MESSAGE ----->
```

```
<?php
```

```
error_reporting(E_ALL & ~E_NOTICE);
```

```
//echo "<hr>";
```

```
//$id = $_GET['up_pic'];
```

```
//echo $id;
```

```
//echo "<br>";
```

```
if ($_FILES["image"]["error"] > 0)
```

```
{
```

```
    echo "Error: " . $_FILES["image"]["error"] . "<br />";
```

```
}
```

```
else
```

```
{
```

```
    $get_img_name = $_FILES["image"]["name"];
```

```
    $str1 = $id;
```

```
    $str2 = substr($str1, 7);
```

```
//echo $str2;

//$get_id = substr($str2, 0, -1);

// INDEX BELOW

//echo mb_substr($str2, 0, -1);

$get_id = mb_substr($str2, 0, -1);

//echo "<table>";
//echo "<tr><td>";

$Imag_var = '<img src = "' . $id . $get_img_name . '"width
="400" height="400">';

//echo "</td>";
//echo "<td>";
//echo "<b>Upload: </b>" . $_FILES["image"]["name"] . "<br />";
//echo "<b>Type: </b>" . $_FILES["image"]["type"] . "<br />";
//echo "<b>Size: </b>" . ($_FILES["image"]["size"] / 1024) . "
Kb<br />";
//echo "</td></tr></table>";

//echo $id . $get_img_name;

}

?>

<!------- GET INFO
----->

<br>
```

```

<?php

$today = date('l jS \of F Y h:i:s A');

$link = mysqli_connect("localhost","root","","blog_db");

// Check connection
if($link === false){
    die("ERROR: Could not connect. " . mysqli_connect_error());
}

// $id=$_GET['id'];

// Attempt select query execution
$sql = "SELECT * FROM blog_posts WHERE id = $get_id";

if($result = mysqli_query($link, $sql)){
    if(mysqli_num_rows($result) > 0){
        echo "<table border = '0'>";
        //echo "<tr>";

                //echo "<th>id</th>";
                //echo "<th>title</th>";
                //echo "<th>url</th>";

        //echo "</tr>";
        while($row = mysqli_fetch_array($result)){

                //echo "<tr>";

                                                                                               $ttl =

$row['title'];

                                                                                               echo

"<tr class='hoverTable'>";

```





```
= $row['avатар'];
```

```
$av
```

```
?>
```

```
php
```

```
<?
```

```
echo "<input type = 'hidden' name='avатар' title='' style='width:  
0' value= '$av'; readonly />";
```

```
?>
```

```
php
```

```
<?
```

```
echo "
```

```
<textarea name='post' title='' rows='10'  
cols='97' style='display:none' />";
```

```
//
```

```
echo $row['post'];
```

```
$post_img = $Imag_var;
```

```
echo "$get_img_name" . "<br /><br />" . $post_img . "<br /><br />";
```

```
echo "</textarea><br />";
```

?>

```
php // echo "<br /><br />" . $post_img . "<br /><br />"; ?>
```

<?

```
php
```

<?

```
echo "<td><b><input type = 'hidden' name='date_posted' style='width: 0' value = '$today' readonly /></b></td>";
```

```
$img_url = $id . $get_img_name;
```

```
echo  
"<input type = 'hidden' name='image_url' title='' style='width: 0' value= '$img_url'; readonly />";
```

```
echo "</tr>";
```

```
}
```

```
echo "</table>";
```

```
// Free result set
mysqli_free_result($result);

} else{
    echo "No records matching your query were found.";
}
} else{
    echo "ERROR: Could not able to execute $sql. " .
mysqli_error($link);
}

// Close connection

mysqli_close($link);

?>

<!------- SUBMIT
----->

<br>

<div class='field-group'>
<div><input type='submit' name='send' value='Post Image'
class='form-submit-button' /></span></div>
</div>

<!-------
----->
```

</p>

<hr>

</div>

</section>

<div  
class="main supporting" id="zen-supporting" role="main">

<div  
class="requirements" id="zen-requirements" role="article">

<br><p  
role="contentinfo" align = "right" /><h2>tonyalmighty.software  
&copy; All Rights Reserved</h2></a></p><br>

</div>

</div>

<aside

class="sidebar" role="complementary">

<div

class="wrapper">

<div

class="design-selection" id="design-selection">

<h3

class="select">Select a Design:</h3>

<nav

role="navigation">

<ul>

<li>

<form

action="search.php" method="POST">

value = "Search"/> <input type="text" size="20" name="title"

</li><br>

```
<li><hr></li>
```

```
<li>
```

```
<a
```

```
href="/index.php" class="design-name">Home</a>
```

```
</li>
```

```
<li>
```

```
<a
```

```
href="http://www.tonyalmighty.com" class="design-name">Links</a>
```

```
</li>
```

```
<li>
```

```
<a
```

```
href="/contact_me.php" class="design-name">Contact</a>
```

```
</li>
```

```
<li><hr></li>
```

```
</nav>
```

```
</div>
```

```
class="design-archives" id="design-archives">
```

```
<div
```

```
role="navigation">
```

```
<nav
```

```
<ul>
```

```
class="next">
```

```
<li
```

```
</li>
```

```
class="viewall">
```

```
<li
```

```
</li>
```

```
</ul>
```

```
</nav>
```

</div>

</aside>

</div>

</body>

</html>

## **header\_track.php**

<?php

```
$link = mysqli_connect("localhost","root","","blog_db");
```

```
// Check connection
```

```
if($link === false){
```

```
    die("ERROR: Could not connect. " . mysqli_connect_error());
```

```
}
```

```
//$search = $_POST['title'];
```

```
$num = $_GET['track_id'];
```

```
// Attempt select query execution
```

```
$sql = "SELECT * FROM videos WHERE id = $num";
```

```
if($result = mysqli_query($link, $sql)){
```

```
    if(mysqli_num_rows($result) > 0){
```

```
        while($row = mysqli_fetch_array($result)){
```

```
            //echo "<tr>";
```



```
echo " " . $row['title'];
```

```
$get_video = $row['title'];
```

```
}
```

```
// Free result set  
mysqli_free_result($result);
```

```
} else{
```

```
    echo "No records matching your query were found.";
```

```
}
```

```
} else{
```

```
    echo "ERROR: Could not able to execute $sql. " .  
mysqli_error($link);
```

```
}
```

```
// Close connection  
mysqli_close($link);
```

```
?>
```

## **include.php**

```
<?php  
error_reporting(E_ALL ^ E_DEPRECATED);  
?>
```

```
<?php error_reporting(0); ?>
```

```
<?php
```

```
include 'blogpost.php';
```

```

$db = mysql_connect ("localhost","root","");

$database = "blog_db";
mysql_select_db($database, $db) or die ("<p class='error'>Sorry,
we were unable to connect to the database.</p>");

function GetBlogPosts($inId=null)
{
    if (!empty($inId))
    {
        $query = mysql_query("SELECT * FROM blog_posts WHERE id =
" . $inId . " ORDER BY id DESC");
    }

    else
    {
        $query = mysql_query("SELECT * FROM blog_posts ORDER BY id
DESC");
    }

    $postArray = array();
    while ($row = mysql_fetch_assoc($query))
    {
        $myPost = new BlogPost($row["id"], $row['email'],
$row['post'], $row['date_posted'] , $row['avatar'], $row['title'],
$row['mylike'], $row['dislike']);
        array_push($postArray, $myPost);
    }
    return $postArray;
}

?>

```

## **index.php**

```

<!DOCTYPE html>
<html lang="en">
<head>

```

```
charset="utf-8">
<title>tonyalmighty.software</title>
rel="stylesheet" type="text/css" href="style_.css" />
name="viewport" content="width=device-width, initial-scale=1.0">
name="author" content="Carmine Rendina">
name="description" content="Php Mysql Zend CSS-based design.">
}

.tooltip {
    position: relative;
    display: inline-block;
    //border-bottom: 1px dotted black;
}

.tooltip .tooltiptext {
    visibility: hidden;
    width: 120px;
    background-color: black;
    color: #fff;
    text-align: center;
    border-radius: 6px;
    padding: 5px 0;
    position: absolute;
    z-index: 1;
    bottom: 150%;
    left: 50%;
    margin-left: -60px;
}

.tooltip .tooltiptext::after {
```

```
    content: "";
    position: absolute;
    top: 100%;
    left: 50%;
    margin-left: -5px;
    border-width: 5px;
    border-style: solid;
    border-color: black transparent transparent transparent;
}
```

```
.tooltip:hover .tooltiptext {
    visibility: visible;
}
```

```
</style>
```

```
<script>
```

```
function DisplayFunction() {
    var x = document.getElementById("myp");
    if (x.style.display === "none") {
        x.style.display = "block";
    } else {
        x.style.display = "none";
    }
}
```

```
</script>
```

```
</head>
```

```
<!-- HIDE AND DISPLAY ELEMENTS
```

```
id="myp" style="display:none">
```

```
    <div id="myp" style="display:none">
```

<p

<hr

```
id="myp" style= "display:none">
```

```
<button onclick="DisplayFunction()">Click Me</button>
```

```
-->
```

```
<body id="css-zen-garden">
```

```
<?php error_reporting(0); ?>
```

```
<?php
```

```
session_start();
```

```
$conn = mysqli_connect("localhost","root","","blog_db");
```

```
$message="";
```

```
if(!empty($_POST["login"])) {
```

```
$result
```

```
= mysqli_query($conn,"SELECT * FROM blog_posts WHERE email='".
```

```
$_POST["user_name"] . "' and password = '".
```

```
$_POST["password"].'");
```

```
$row =
```

```
mysqli_fetch_array($result);
```

```
if(is_array($row)) {
```

```
$_SESSION["user_id"] = $row['id'];
```

```
} else
```

```
{
```

```
$message = "Invalid Username or Password!";
```

```
}
```

```
}
```

```
if(!empty($_POST["logout"])) {
```

```
$_SESSION["user_id"] = "";
```

```
session_destroy();
```

```
}
```

?>

```
<?php if(empty($_SESSION["user_id"])) { ?>
```

```
<br>
```

```
<div align ="center">
```

```
<form action="" method="post" id="frmLogin">
```

```
class="error-message"><?php if(isset($message)) { echo $message; }  
?></div>
```

```
class="field-group">
```

```
<div><label for="login">Username</label></div>
```

```
<div><input name="user_name" type="text" class="input-  
field"></div>
```

```
</div>
```

```
class="field-group">
```

```
<div><label for="password">Password</label></div>
```

```
<div><input name="password" type="password" class="input-field">  
</div>
```

```
</div>
```

```
class="field-group">
```

```
<br><div><input type="submit" name="login" value="Login"  
class="form-submit-button"></span></div>
```

```
</div>
```

```
</form>
```

```
<br>
```

```
</div>
```

```
<?php
```

```
 } else {
```

```
 $result = mysqli_query($conn,"SELECT * FROM blog_posts WHERE id='"  
 . $_SESSION["user_id"] . "'");
```

```
 $row = mysqli_fetch_array($result);
```

```
?>
```

```
<div align ="center">
```

```
<?php
```

```
 $var = $row['email'];
```

```
 $image = $row['image'];
```

```
 $my_id = $row['id'];
```

```
?>
```

```
<form action="" method="post" id="frmLogout">
```

```
<div class="member-dashboard"><h1><?php echo "$var"; ?>
```

```
</a></h1><br>
```

```
<input type="submit" name="logout" value="Logout" class="logout-  
button"></div>
```

```
</form>
```

</div>

</div>

<br>

<?php } ?>

<div class="page-wrapper">

<section class="intro" id="zen-intro">

role="banner"> <header

[ tonyalmighty.software ] </h1> <h1>

</header>

class="summary" id="zen-summary" role="article"> <div

<p>

</p>

<p>

<a href="register user.php"><b>Register</b></a> | <a href="/index.php">Home</a> | <a href="http://www.tonyalmighty.com/">Links</a> | <a href="/contact\_me.php">Contact</a>



</p>

</div>

<!-- Start Paragraph -->

<div class="preamble" id="zen-preamble" role="article">

<div align="right"><!-- Align follow right -->

<?php

```
$link = mysql_connect("localhost","root","");  
mysql_select_db("blog_db", $link);
```

```
$fid = $_SESSION['user_id'];
```

```
if ($result = mysql_query("SELECT * FROM follow where log_id =  
'$fid'", $link)) {
```

```
$num_rows = mysql_num_rows($result);
```

```
echo "$num_rows";
```

```
}
```

```
?>
```

```
<div class='tooltip'><a href='following.php'><b>Followings
</b><span class='tooltiptext'>Followings</a></span></div>
```

|

```
<?php
```

```
$link = mysql_connect("localhost","root","");
mysql_select_db("blog_db", $link);
```

```
error_reporting(E_ALL & ~E_NOTICE);
```

```
$fvar = $row['email'];
```

```
if ($result = mysql_query("SELECT * FROM follow where following =
'$fvar'", $link)) {
```

```
$num_rows = mysql_num_rows($result);
```

```
echo "$num_rows\n";
```

```
}
```

```
?>
```

```
<div class='tooltip'><a href='follower.php'><b>Followers
</b><span class='tooltiptext'>Followers</a></span></div>
```

|

```
<a class="fb-xfbml-parse-ignore" target="_blank"
href="https://www.facebook.com/sharer/sharer.php?u=https%3A%2F
%2Ftonyalmighty.software%2F&src=sdkpreparse">
```

```

```

</a>

</p>

<!-- Align follow right -->

</div>

<hr>

<p>

<!------->

<script>

```
function asd(a)
{
    if(a==1)
        document.getElementById("asd").style.display="none";
    else
        document.getElementById("asd").style.display="block";
}
```

</script>

<!------->

<?php

```
error_reporting(E_ALL & ~E_NOTICE);
```

```

include 'include.php';

$blogPosts = GetBlogPosts();

foreach ($blogPosts as $post)
{
    echo "<img src='" . $post->avatar , "' width='40'
height='40'><br />";

                                                                                                       $av =
$post->avatar;

error_reporting(E_ALL & ~E_NOTICE);

    echo "<br><b>" . "Title: " . "</b>" . "<!--<h1>-->" . $post-
>title . "<!--</h1>--><div class='post'>";

    //echo "<p>" . "<b>" . "Id: " . "</b>" . $post->id . "</p>";

    echo "<p>" . "<b>" . "User: " . "</b>" . "<a href='look-up-
user.php?sbu=$post->email '>" . $post->email . "</a>";

                                                                                                       echo "
| <a href='user_info.php?ui=$post->email '>" . " Info/Profile" .
"</a>" . " | <a href='user_pix.php?upix=$post->email '>" . " User
Pictures" . "</a>" . " | <a href='user_videos.php?uvid=$post-
>email '>" . " User Videos" . "</a>" . " | <a href='followers.php?
ufo=$post->email '>" . " Followers" . "</a>" . "</p>";

    echo "<p>" . "<b>" . "Message: " . "</b>" . $post->post .
"</p>";

    //echo "<p>" . "<b>" . "Like: " . "</b>" . $post->mylike .
"</p>";

    //echo "<p>" . "<b>" . "Dislike: " . "</b>" . $post-
>dislike . "</p>";

```



```
error_reporting(E_ALL & ~E_NOTICE);
```

```
if
```

```
($post->email == $var){
```

```
echo
```

```
"<td><div class='tooltip'><a href='delete.php?id= $post->id '
onclick='return checkDelete()'><img src='de.png'
width='20'height='20'><span class='tooltiptext'>Delete
Post</a>&nbsp; &nbsp; &nbsp; &nbsp; </span></div></td>";
```

```
echo
```

```
"<td><div class='tooltip'><a href='edit.php?id= $post->id '><img
src='ed.png' width='20'height='20'><span
class='tooltiptext'>Edit/Update Post</a>&nbsp; &nbsp; &nbsp; &nbsp; &nbsp;
</span></div></td>";
```

```
echo
```

```
"<td><div class='tooltip'><a href='pix.php?my_pic=$my_id '><img
src='img.png' width='20'height='20'><span
class='tooltiptext'>Picture Gallery</a>&nbsp; &nbsp; &nbsp; &nbsp; &nbsp;
</span></div></td>";
```

```
echo
```

```
"<td><div class='tooltip'><a href='gallery.php?up_pic=$image
'><img src='cl.png' width='20'height='20'><span
class='tooltiptext'>Upload Image</a>&nbsp; &nbsp; &nbsp; &nbsp; &nbsp;
</span></div></td>";
```

```
echo "<td><div class='tooltip'><a href='myvideos.php?u_n=
$post->email '><img src='vd.png' width='20'height='20'
onclick='asd(2)' ><span class='tooltiptext'>Videos</a>&nbsp; &nbsp;
&nbsp; &nbsp; </span></div></td>";
```

```
//echo
```

```
"<td><div class='tooltip'><a href='display_user.php?id= $post->id
'><img src='us.png' width='30'height='30'><span
class='tooltiptext'>Display User</a>&nbsp; &nbsp; &nbsp; &nbsp; &nbsp;
</span></div></td>";
```



```
function checkDelete(){
    return confirm('Are you sure?');
}
```

```
</script>
```

```
<script type="text/JavaScript">
```

```
//function valid(f) {
//f.value = f.value.replace(/[\']/g, ' ')
}
```

```
</script>
```

```
<?php
```

```
error_reporting(E_ALL & ~E_NOTICE);
```

```
$username= $var;
```

```
$result = mysql_query("SELECT avatar FROM blog_posts WHERE
email='$username'");
```

```
$row = mysql_fetch_array($result);
```

```
//echo $row['avatar'];
```

```
$get_avatar = $row['avatar'];
```

```
?>
```

```
<!------->
```

```
<a id='target'></a>
```

```
<!------->
```



----->

```
<?php
```

```
error_reporting(E_ALL & ~E_NOTICE);
```

```
echo "<br><br>";
```

```
// $today = date("Y-m-d");
```

```
$today = date('l jS \of F Y h:i:s A');
```

```
echo "
```

```
<form action = 'insert.php' method = 'POST' id='asd'  
style='display:none'>
```

```
<p align = left>
```

```
<table border = 1>
```

```
<input type = 'text' name='email' title='' style='width: 150'  
value= '$var';/ readonly><br><br>
```

```
<input type = 'text' name='title' title='' style='width: 400'  
value= 'Insert Header Title';/ >
```

```
<!-- &nbsp; &nbsp; &nbsp; &nbsp; <img src=$get_avatar width='60'  
height = '60'> -->
```

```
<input type = 'hidden' name='avatar' title='' style='width: 0'  
value= '$get_avatar'; / readonly>
```

```
<br /><br />
```

```
<textarea name='post' title='Post Your Message' rows='10'  
cols='60' onkeyup='valid(this)' onblur='valid(this)'  
wrap='hard' /> Leave a Comment.
```

```
</textarea><br /><br />
```

```
<input type = 'hidden' name='date_posted' title='' style='width: 303' value ='$today' readonly/>
```

```
<br /><br />
```

```
<!-- <input type='image' src='http://eva9000.com/co.jpg' width='100' height='40'> -->
```

```
<div class='field-group'>
```

```
<div><input type='submit' name='send' value='Send' class='form-submit-button' onclick='asd(1) ' ></span></div>
```

```
</div>
```

```
</form>
```

```
</table>
```

```
</p>
```

```
";
```

```
echo "<hr>";
```

```
?>
```

```
</p>
```

```
</div>
```

```
</section>
```

```
<div
```

```
class="main supporting" id="zen-supporting" role="main">
```

```
class="requirements" id="zen-requirements" role="article">
```

```
role="contentinfo" align = "right" /><h2>tonyalmighty.software  
&copy All Rights Reserved</h2></a></p><br>
```

```
</div>
```

```
</div>
```

```
class="sidebar" role="complementary">
```

```
class="wrapper">
```

```
class="design-selection" id="design-selection">
```

```
class="select">Select a Design:</h3>
```

```
role="navigation">
```

```
<ul>
```

```
<li>
```

```
action="search.php" method="POST">
```

```
value = "Search"/> <input type="text" size="20" name="title"
```

```
</li><br>
```

```
<li><hr></li>
```

```
<li>
```

```
<a
```

```
href="/index.php" class="design-name">Home</a>
```

```
</li>
```

```
<li>
```

```
<a
```

```
href="http://www.tonymighty.com" class="design-name">Links</a>
```

```
</li>
```

```
<li>
```

```
<a
```

```
href="/contact_me.php" class="design-name">Contact</a>
```

```
</li>
```

```
<li><hr></li>
```

```
</nav>
```

```
</div>
```

```
class="design-archives" id="design-archives">
```

```
<div
```

```
role="navigation">
```

```
<nav
```

```
<ul>
```

```
<!--
```

```
class="next">
```

```
<li
```

```
</li>
```

```
-->
```

<li

```
class="viewall">
```

<p>

```
<?php
```

```
$id = $_SESSION["user_id"];
```

```
$link = mysqli_connect("localhost","root","","blog_db");
```

```
// Check connection
```

```
if($link === false){
```

```
    die("ERROR: Could not connect. " . mysqli_connect_error());
```

```
}
```

```
error_reporting(E_ALL & ~E_NOTICE);
```

```
    //$id=$_GET['id'];
```

```
// Attempt select query execution
```

```
$sql = "SELECT * FROM blog_posts WHERE id = $id";
```

```
if($result = mysqli_query($link, $sql)){
```

```
    if(mysqli_num_rows($result) > 0){
```

```
        echo "<table border = '0'>";
```

```

        echo "<tr>";

        echo "</tr>";
        while($row = mysqli_fetch_array($result)){

            echo "<tr>";

                                                                                               echo
"<tr class='hoverTable'>";

                                                                                               echo
"<img src='" . $row['avatar'] . "' width ='30'
height='30'></img><br><br>";

                                                                                               $usr =
$row['email'];

                                                                                               echo
"<a href='user_info.php?ui=$usr'>" . $row['user_name'] . " " .
$row['surname'] . "</a><br><br>";

                                                                                               echo
"<a href='http://maps.google.com/maps?q=";

                                                                                               echo
$row['town'] . "&nbsp;&nbsp;&nbsp;" . $row['country'] . "'
target='_blank'>" . $row['town'] . "&nbsp;&nbsp;&nbsp;" .
$row['country'] . "</a><br><br>";

                                                                                               //e
cho "<b>Education:</b>" . $row['school'] . "<br>";

```

```
cho "<b>Occupation:</b> " . $row['occupation'] . "<br>"; //e
```

```
cho "<b>Hobby:</b> " . $row['hobby'] . "<br>"; //e
```

```
////////////////////////////////////  
////////////////////////////////////  
////////////////////////////////////
```

```
"<hr><br>"; echo
```

```
"<a href='user_details.php?id= $post->id '>Edit</a>"; echo
```

```
| "; echo "
```

```
echo "<a href='#target' onclick='asd(2)' >Post</a>";
```

```
| "; echo "
```

```
"<a href='gallery.php?up_pic=$image '>Image</a>"; echo
```

```
| "; echo "
```

```
echo "<a href='myvideos.php?u_n= $post->email '>Videos</a>";
```

```
"<br><br>"; echo
```

```
///
```



```
////////////////////////////////////  
////////////////////////////////////
```

```
$dis_img = $row['image'];
```

```
"<hr>";
```

```
echo
```

```
        echo "</tr>";
```

```
    }
```

```
    echo "</table>";
```

```
    // Free result set
```

```
    mysqli_free_result($result);
```

```
    } else{
```

```
        //echo "No records matching your query were found.";
```

```
    }
```

```
} else{
```

```
    // echo "ERROR: Could not able to execute $sql. " .
```

```
    mysqli_error($link);
```

```
}
```

```
// Close connection
```

```
mysqli_close($link);
```

```
?>
```

```
<!-------  
----->
```

</li>

<li

```
class="viewall">
```

```
<?php
```

```
$link = mysqli_connect("localhost","root","","blog_db");
```

```
// Check connection
```

```
if($link === false){
```

```
    die("ERROR: Could not connect. " . mysqli_connect_error());
```

```
}
```

```
$x1 = $_SESSION["user_id"];
```

```
$search = $_SESSION["u_n"];
```

```
// Attempt select query execution
```

```
$sql = "SELECT * FROM follow WHERE following = '$search'";
```

```
if($result = mysqli_query($link, $sql)){
```

```
    if(mysqli_num_rows($result) > 0){
```

```

        echo "<table border = '0' >";

                                                                    echo
"<tr>";

                                                                    echo
"<a href='follower.php'>Followers: </a><br><br>";

        while($row = mysqli_fetch_array($result)){

$my_flgw_dis = $row['follower_name'];

                //echo "<td>" . "<a href='following-display.php?
my_dis=$my_flgw_dis'>" . $row['follower_name'] . "</a>" . "</td>";

echo "<td>" . "<img src =' " . $row['avatar'] . "'width = '30'
height='30'></img> " . "<a href='following-display.php?
my_dis=$my_flgw_dis'>" . $row['follower_name'] . "</a></td>";

                echo "</tr>";

        }

        echo "</table>";

        // Free result set

        mysqli_free_result($result);

    } else{

        echo "No followers yet. <br><br>";

```

```
    }

} else{

    //echo "ERROR: Could not able to execute $sql. " .
mysql_error($link);

}

echo "<br><hr>";

echo "<br>Pictures: <br><br>";

// Close connection

mysql_close($link);

?>

</li>

<li

class="viewall">

<!------- GET IMAGES LOOP (COOL
```

ONE) ----->

<?php

```
//error_reporting(E_ALL ^ E_STRICT);
```

```
error_reporting(0);
```

\$img

```
= $dis_img;
```

```
echo scanDirectoryImages($img);
```

```
function scanDirectoryImages($directory, array $exts =  
array('jpeg', 'jpg', 'gif', 'png'))
```

```
{
```

```
if (substr($directory, -1) == '/') {
```

```
    $directory = substr($directory, 0, -1);
```

```
}
```

```
$html = '';
```

```
if (
```

```
    is_readable($directory)
```

```
    && (file_exists($directory) || is_dir($directory))
```

```
) {
```

```
    $directoryList = opendir($directory);
```

```
    while($file = readdir($directoryList)) {
```

```
        if ($file != '.' && $file != '..') {
```

```
            $path = $directory . '/' . $file;
```

```
            if (is_readable($path)) {
```

```
                if (is_dir($path)) {
```

```
                    return scanDirectoryImages($path, $exts);
```

```
                }
```

```
                if (
```

```
                    is_file($path)
```

```
                    && in_array(end(explode('.', end(explode('/',  
$path))))), $exts)
```



```
</li>
```

```
</ul>
```

```
</nav>
```

```
</div>
```

```
</aside>
```

```
</div>
```

```
</body>
```

```
</html>
```

## **insert.php**

```
<?php header('Location: index.php'); ?>
```

```
<?php
```

```
error_reporting(E_ALL ^ E_DEPRECATED);
```

?>

<br>

<?php

```
require("db.php");
```

```
//echo "Thank you!";
```

```
//echo "<br><br>";
```

```
//echo "<a href = 'http://tonyalmighty.software'><b>Click  
here</a></b> to go back!";
```

```
//echo "<br>";
```

```
$x1 = $_POST['email'];
```

```
//$input = $_POST['post'];
```

```
//$x2 = mysql_real_escape_string($input);
```

```
$tmp = $_POST['post'];
```

```
$Hnd_quotes = addslashes($tmp);
```

```
//$x2 = $_POST['post'];
```

```
$x2 = $Hnd_quotes;
```

```
$x3 = $_POST['date_posted'];
```

```
$x4 = $_POST['avatar'];
```

```
$tt = $_POST['title'];
```

```
$tt_quotes = addslashes($tt);
```

```
//$x5 = $_POST['title'];
```

```
$x5 = $tt_quotes;
```



```

echo "<br>";

echo "<b>You have submitted the following values: </b><br /> \n";

echo "<br>";

echo "<b>Title: </b>{$x5} <br /> \n";
echo "<b>User/E-mail: </b>{$x1} <br /> \n";
echo "<b>Post: </b>{$x2} <br /> \n";
echo "<b>Date Posted: </b>{$x3} <br /> \n";

if(isset($_POST["email"]))
{
    //exist
    if($_POST["email"]!="")
    {
        //Not empty

$super_engine = "

INSERT INTO blog_posts(email,post,date_posted,avatar,title)

values ('{$x1}','{$x2}','{$x3}','{$x4}','{$x5}')

";

mysql_query($super_engine);

if(mysql_errno() !=0)
{

echo "Error <b>" . mysql_errno() . "</b>: " . mysql_error() . "<br
/>";

}

```

```
else
{

//echo "<br><br>";

echo "<br />";};

    }
}

//echo "<div><img src='img.gif' width='600' height='400'></div>";

?>

</div>
<br>
</body>
</html>
```

### **insert\_form.php**

```
<script type="text/JavaScript">

function valid(f) {
f.value = f.value.replace(/[&\/\\'"]/g, '')
}

</script>

<?php require ("db.php"); ?>

<?php

//$today = date("Y-m-d");
```

```
$today = date('l jS \of F Y h:i:s A');

echo "

<form action = 'insert.php' method = 'POST'>

<p align = left>

<table border = 1>

<input type = 'text' name='email' title='' style='width: 302'
value=''/><br /><br />

<textarea name='post' title='Post Your Message' rows='10'
cols='35' onkeyup='valid(this)' onblur='valid(this) '>Post your
Blog here.

</textarea><br /><br />

<input type = 'text' name='date_posted' title='' style='width:
303' value ='$today' readonly/>

<br /><br />

<input type='image' src='http://eva9000.com/co.jpg' width='100'
height='40'>

</form>

</table>

</p>

";

?>
```

**insert\_image.php**

```
<?php header('Location: index.php'); ?>
```

```
<?php
```

```
error_reporting(E_ALL ^ E_DEPRECATED);
```

```
?>
```

```
<?php
```

```
require("db.php");
```

```
echo "<br>";
```

```
$x1 = $_POST['email'];
```

```
$x2 = $_POST['post'];
```

```
$x3 = $_POST['date_posted'];
```

```
$x4 = $_POST['avatar'];
```

```
$x5 = $_POST['img_title'];
```

```
$x6 = $_POST['image_url'];
```

```
echo "<br>";
```

```
echo "You have submitted the following values:<br /> \n";
```

```
echo "<br>";
```

```
echo "<b>Title: </b>{$x5} <br /> \n";
```

```
echo "<b>E-mail: </b>{$x1} <br /> \n";
```

```
echo "<b>Post: </b>{$x2} <br /> \n";
```

```
echo "<br><b>Date Posted: </b>{$x3} <br /> \n";
```

```
echo "<b>Avatar: </b>{$x4} <br /> \n";
```

```
echo "<br>";

if(isset($_POST["email"]))
{
    //exist
    if($_POST["email"]!="")
    {
        //Not empty

$super_engine = "

INSERT INTO
blog_posts(email,post,date_posted,avatar,title,image_url)

        values ('{$x1}','{$x2}','{$x3}','{$x4}','{$x5}','{$x6}')

";

mysql_query($super_engine);

if(mysql_errno() !=0)
{

echo "Error <b>" . mysql_errno() . "</b>: " . mysql_error(); // .
"<br />";

}

else
{

//echo "<br>";

echo " inserted successfully!<br />";};

}

}
```

?>

## insert\_video\_blog.php

```
<!DOCTYPE html>
<html lang="en">
<head>
<meta
charset="utf-8">

<title>tonyalmighty.software</title>

<link
rel="stylesheet" type="text/css" href="style_.css" />
<meta
name="viewport" content="width=device-width, initial-scale=1.0">
<meta
name="author" content="Carmine Rendina">
<meta
name="description" content="Php Mysql Zend CSS-based design.">

</head>

<body id="css-zen-garden">

<div class="page-wrapper">

<section class="intro" id="zen-intro">

<header
role="banner">

<h1> <a
href="/index.php">[ tonyalmighty.software ] </a></h1>
```

</header>

class="summary" id="zen-summary" role="article">

<div

<p>

</p>

<p>

<a href="register user.php"><b>Register</b></a> | <a href="/index.php">Home</a> | <a href="http://www.tonyalmighty.com/">Links</a> | <a href="/contact\_me.php">Contact</a>

</div>

<!-- Start Paragraph -->

class="preamble" id="zen-preamble" role="article">

<div

<p>

<br>

```
<!-------  
----->
```

```
<?php //header('Location: play_.php'); ?>
```

```
<?php
```

```
error_reporting(E_ALL ^ E_DEPRECATED);
```

```
?>
```

```
<br>
```

```
<?php
```

```
$x1 = $_POST['video_id'];
```

```
$x2 = $_POST['email'];
```

```
$x3 = $_POST['avatar'];
```

```
$tmp = $_POST['post'];
```

```
$Hnd_quotes = addslashes($tmp);
```

```
$x4 = $Hnd_quotes;
```

```
$x5 = $_POST['date_posted'];
```

```
//exist
```



```
/* Attempt MySQL server connection. Assuming you are running MySQL
server with default setting (user 'root' with no password) */
$link = mysqli_connect("localhost", "root", "", "blog_db");

// Check connection
if($link === false){
    die("ERROR: Could not connect. " . mysqli_connect_error());
}

// Attempt insert query execution
$sql = "INSERT INTO video_blog
(video_id,user_id,avatar,post,date_posted) VALUES
('{x1}','{x2}','{x3}','{x4}','{x5}')";
if(mysqli_query($link, $sql)){
    echo "Records inserted successfully." . "<br><br>";
} else{
    echo "ERROR: Could not able to execute $sql. " .
mysqli_error($link);
}

// Close connection
mysqli_close($link);
?>

</p>

<hr>

</div>

</section>

<div
class="main supporting" id="zen-supporting" role="main">
```

```
class="requirements" id="zen-requirements" role="article">
                                                                    <div
                                                                    <br><p
role="contentinfo" align = "right" /><h2>tonyalmighty.software
&copy All Rights Reserved</h2></a></p><br>
                                                                    </div>
                                                                    </div>
                                                                    <aside
class="sidebar" role="complementary">
                                                                    <div
class="wrapper">
                                                                    <div
class="design-selection" id="design-selection">
                                                                    <h3
class="select">Select a Design:</h3>
                                                                    <nav
role="navigation">
                                                                    <ul>
                                                                    <li>
                                                                    <form
action="search.php" method="POST">
```

```
value = "Search"/> <input type="text" size="20" name="title"
```

```
</li><br>
```

```
<li><hr></li>
```

```
<li>
```

```
href="/index.php" class="design-name">Home</a>
```

```
</li>
```

```
<li>
```

```
href="http://www.tonyalmighty.com" class="design-name">Links</a>
```

```
</li>
```

```
<li>
```

```
href="/contact_me.php" class="design-name">Contact</a>
```

```
</li>
```

<li><hr></li>

</nav>

</div>

class="design-archives" id="design-archives">

<div

role="navigation">

<nav

<ul>

class="next">

<li

</li>

class="viewall">

<li

```
</li>
```

```
</ul>
```

```
</nav>
```

```
</div>
```

```
</aside>
```

```
</div>
```

```
</body>
```

```
</html>
```

## **like.php**

```
<?php header('Location: index.php'); ?>
```

```
<?php
```

```
$link = mysqli_connect("localhost","root","","blog_db");
```

```
$id=$_GET['id'];
```

```
// $x1 = $_POST['id'];
```

```
$like = $_POST['mylike'];

// Check connection
if($link === false){
    die("ERROR: Could not connect. " . mysqli_connect_error());
}

// Attempt update query execution
$sql = "UPDATE blog_posts SET mylike=mylike + 1 WHERE id=$id";

if(mysqli_query($link, $sql)){
    // echo "Records were updated successfully.";
} else {
    echo "ERROR: Could not able to execute $sql. " .
mysqli_error($link);
}

// Close connection
mysqli_close($link);

?>

<?php

echo "<br>";

echo "<b>You have updated the following values: </b>";

echo "<br>";

echo "<b>Like: </b>" . $like;

echo "</div>";

?>
```



href="/index.php">[ tonyalmighty.software ] </a></h1>

</header>

class="summary" id="zen-summary" role="article">

<div

<p>

</p>

<p>

<a href="register user.php"><b>Register</b></a> | <a href="/index.php">Home</a> | <a href="http://www.tonyalmighty.com/">Links</a> | <a href="/contact\_me.php">Contact</a>

</div>

<!-- Start Paragraph -->

class="preamble" id="zen-preamble" role="article">

<div



<br><br><br>

<hr>

<?php

```
$link = mysqli_connect("localhost","root","","blog_db");
```

```
$id=$_GET['lvi'];
```

```
echo "<h1>You liked ... " . $id . "</h1>";
```

```
// $x1 = $_POST['id'];
```

```
// $like = $_POST['mylike'];
```

```
// Check connection
```

```
if($link === false){
```

```
    die("ERROR: Could not connect. " . mysqli_connect_error());
```

```
}
```

```
// Attempt update query execution
```

```
$sql = "UPDATE videos SET mylike=mylike + 1 where title='$id'";
```

```
if(mysqli_query($link, $sql)){
```

```
    // echo "Records were updated successfully.";
```

```
} else {
```

```
    echo "ERROR: Could not able to execute $sql. " .
```

```
mysqli_error($link);
```

```
}
```

```
// Close connection
```

```
mysqli_close($link);
```

?>

<br><br><br><br><br><hr>

</div>

</section>

<div  
class="main supporting" id="zen-supporting" role="main">

<div  
class="requirements" id="zen-requirements" role="article">

<p  
role="contentinfo" align = "right" /><h2>tonyalmighty.software  
&copy All Rights Reserved</h2></a></p>

</div>

</div>

<aside  
class="sidebar" role="complementary">

<div  
class="wrapper">

<div  
class="design-selection" id="design-selection">

<h3  
class="select">Select a Design:</h3>

<nav

```
role="navigation">
```

```
<ul>
```

```
<li>
```

```
action="search.php" method="POST">
```

```
<form
```

```
value = "Search"/> <input type="text" size="20" name="title"
```

```
</li><br>
```

```
<li><hr></li>
```

```
<li>
```

```
href="/index.php" class="design-name">Home</a>
```

```
<a
```

```
</li>
```

```
<li>
```

```
href="http://www.tonymighty.com" class="design-name">Links</a>
```

```
<a
```

</li>

<li>

<a

href="/contact\_me.php" class="design-name">Contact</a>

</li>

<li><hr></li>

</nav>

</div>

class="design-archives" id="design-archives">

<div

role="navigation">

<nav

<ul>

class="next">

<li

</li>

<li

class="viewall">

</li>

</ul>

</nav>

</div>

</aside>

</div>

</body>

</html>

**look-up.php**

<?php

```

$link = mysqli_connect("localhost","root","","blog_db");

// Check connection
if($link === false){
    die("ERROR: Could not connect. " . mysqli_connect_error());
}

$search = $_POST['title'];

// Attempt select query execution
$sql = "SELECT * FROM blog_posts WHERE email = '$search' ORDER BY
id DESC";

if($result = mysqli_query($link, $sql)){
    if(mysqli_num_rows($result) > 0){

        while($row = mysqli_fetch_array($result)){

                                                    echo
"<p>" . "<img src='" . $row['avatar'] . "' width='40'
height='40'></p>";

                $user= $row['email'];

                                                    echo
"<p><b>" . "User: </b>" . $row['email'] . " | <a
href='user_info.php?ui=$user '>" . " Info/Profile" . "</a>" . " |
<a href='user_pix.php?upix=$user '>" . " User Pictures" . "</a>" .
" | <a href='user_videos.php?uvid=$user '>" . " User Videos" .
"</a>" . " | <a href='followers.php?ufo=$user '>" . " Followers" .
"</a></p>";

                                                    echo
"<p><b>" . "Post: </b>" . $row['post'] . "</p>";

                                                    echo
"<p><b>" . "Date Posted: </b>" . $row['date_posted'] . "</p>";

```

```

$un = $row['user_name'];
$sn = $row['surname'];
$tn = $row['town'];
$cn = $row['country'];

                                                                    echo
"<hr>";

    }

    // Free result set
    mysqli_free_result($result);

    } else{
        echo "No records matching your query were found.<hr>";
    }
} else{
    //echo "ERROR: Could not able to execute $sql. " .
    mysqli_error($link);
}

// Close connection
mysqli_close($link);

?>

```

## **look-up-user.php**

```

<!DOCTYPE html>
<html lang="en">
<head>
                                                                    <meta
charset="utf-8">

<title>tonyalmighty.software</title>

```

```
rel="stylesheet" type="text/css" href="style_.css" /> <link
name="viewport" content="width=device-width, initial-scale=1.0"> <meta
name="author" content="Carmine Rendina"> <meta
name="description" content="Php Mysl Zend CSS-based design."> <meta
</head>
<!--
-->
<body id="css-zen-garden">
<div class="page-wrapper">
<section class="intro" id="zen-intro">
role="banner"> <header
href="/index.php">[ tonyalmighty.software ] </a></h1> <h1> <a
</header>
class="summary" id="zen-summary" role="article"> <div
<p> <p>
```



</p>

<p>

```
<a href="register user.php"><b>Register</b></a> | <a
href="/index.php">Home</a> | <a
href="http://www.tonyalmighty.com/">Links</a> | <a
href="/contact_me.php">Contact</a>
```

</div>

```
<!--          Start Paragraph          -->
```

```
class="preamble" id="zen-preamble" role="article">
```

<div

```
php
```

<h1> <?

```
= $_GET['sbu'];
```

\$search

```
$search; ?></h1>
```

echo

<hr>

</p>

<p>

```
<!------->
```

```
<?php
```

```
$link = mysqli_connect("localhost","root","","blog_db");
```

```
// Check connection
```

```
if($link === false){
```

```
    die("ERROR: Could not connect. " . mysqli_connect_error());
```

```
}
```

```
//$search = $_POST['email'];
```

```
$search = $_GET['sbu'];
```

```
// Attempt select query execution
```

```
$sql = "SELECT * FROM blog_posts WHERE email = '$search' ORDER BY  
id DESC";
```

```
if($result = mysqli_query($link, $sql)){
```

```
    if(mysqli_num_rows($result) > 0){
```

```
        while($row = mysqli_fetch_array($result)){
```

```
echo
"<p>" . "<img src='" . $row['avatar'] . "' width='40'
height='40'></p>";
```

```
$user= $row['email'];
```

```
echo
"<p><b>" . "User: </b>" . $row['email'] . " | <a
href='user_info.php?ui=$user '>" . " Info/Profile" . "</a>" . " |
<a href='user_pix.php?upix=$user '>" . " User Pictures" . "</a>" .
" | <a href='user_videos.php?uvid=$user '>" . " User Videos" .
"</a>" . " | <a href='followers.php?ufo=$user '>" . " Followers" .
"</a></p>";
```

```
echo
"<p><b>" . "Post: </b>" . $row['post'] . "</p>";
```

```
echo
"<p><b>" . "Date Posted: </b>" . $row['date_posted'] . "</p>";
```

```
$un = $row['user_name'];
$sn = $row['surname'];
$tn = $row['town'];
$cn = $row['country'];
```

```
echo
"<hr>";
```

```
}
```

```
// Free result set
mysqli_free_result($result);
```

```
} else{
```

```
echo "No records matching your query were found.";
```

```
}
```

```
} else{
```

```
    //echo "ERROR: Could not able to execute $sql. " .
mysqli_error($link);
}
```

```
// Close connection
mysqli_close($link);
```

```
?>
```

```
<!------->
```

```
</p>
```

```
<!--
```

```
<hr> -->
```

```
</div>
```

```
</section>
```

```
class="main supporting" id="zen-supporting" role="main"> <div>

class="requirements" id="zen-requirements" role="article"> <div>

role="contentinfo" align = "right" /><h2>tonyalmighty.software <br><p>
&copy All Rights Reserved</h2></a></p><br>

</div>

</div>

class="sidebar" role="complementary"> <aside>

class="wrapper"> <div>

class="design-selection" id="design-selection"> <div>

class="select">Select a Design:</h3> <h3>

role="navigation"> <nav>

<ul>

<li>
```

<form

action="search.php" method="POST">

<input type="text" size="20" name="title"  
value = "Search"/>

</li><br>

<li><hr></li>

<li>

<a

href="/index.php" class="design-name">Home</a>

</li>

<li>

<a

href="http://www.tonyalmighty.com" class="design-name">Links</a>

</li>

<li>

<a

href="/contact\_me.php" class="design-name">Contact</a>

</li>

<li><hr></li>

</nav>

</div>

class="design-archives" id="design-archives">

<div

role="navigation">

<nav

<ul>

class="next">

<li

<?php

"<br>" . \$un . " " . \$sn . "<br><br>";

echo

```
$twn . "&nbsp;&nbsp;&nbsp;" . $cnt . "<br><br><hr>";
```

```
echo
```

```
?>
```

```
</li>
```

```
class="viewall">
```

```
<li
```

```
</li>
```

```
</ul>
```

```
</nav>
```

```
</div>
```

```
</aside>
```



```
</div>
```

```
</body>
```

```
</html>
```

## **look-up-videos.php**

```
<?php
```

```
//echo $_SESSION["u_n"] . " " ;
```

```
$var = $_SESSION["u_n"];
```

```
?>
```

```
<?php
```

```
$link = mysqli_connect("localhost","root","","blog_db");
```

```
// Check connection
```

```
if($link === false){
```

```
    die("ERROR: Could not connect. " . mysqli_connect_error());
```

```
}
```

```
error_reporting(E_ALL & ~E_NOTICE);
```

```
    $search = $var;
```

```
// Attempt select query execution
```

```
$sql = "SELECT * FROM videos WHERE user_id = '$search'";
```

```
if($result = mysqli_query($link, $sql)){
```

```
    if(mysqli_num_rows($result) > 0){
```

```
        echo "<table border = '0'>";
```

```
        //echo "<tr>";
```



echo

```
$row['album_url'] . "
```

```
width='300'
```

```
height='90'
```

```
loop='false'
```

```
autostart='false'>
```

```
</video>";
```

echo

```
"</td>";
```

echo

```
"</tr>";
```

```
}
```

```
echo "</table>";
```

```
// Free result set
```

```
mysqli_free_result($result);
```

```
} else{
```

```
echo "No records matching your query were found.";
```

```
}
```

```
} else{
```

```
echo "ERROR: Could not able to execute $sql. " .
```

```
mysqli_error($link);
```

```
}
```

```
// Close connection
```

```
mysqli_close($link);
```

?>

main.php

<?php

```
session_start();
```

```
$id = $_SESSION["u_n"];
```

?>

<?php

```
$link = mysqli_connect("localhost","root","","blog_db");
```

```
// Check connection
```

```
if($link === false){
```

```
    die("ERROR: Could not connect. " . mysqli_connect_error());
```

```
}
```

```
// Attempt select query execution
```

```
$sql = "SELECT * FROM videos where user_id ='$id'";
```

```
if($result = mysqli_query($link, $sql)){
```

```
    if(mysqli_num_rows($result) > 0){
```

```
        echo "<table border = '0'>";
```

```
        //echo "<tr>";
```

```
            //echo "<th>id</th>";
```

```
            //echo "<th>title</th>";
```

```
            //echo "<th>url</th>";
```

```
            //echo "<th>album_name</th>";
```

```
            //echo "<th>album_url</th>";
```

```
            //echo "<th>album_pix</th>";
```

```

        //echo "</tr>";
while($row = mysqli_fetch_array($result)){
    echo "<tr>";

        echo "<td>" . "<b>Id: </b>" . $row['id'] . "</td>";
        echo "<td>" . "<b>Title: </b>". $row['title'] .
"</td>";
        //echo "<td>" . "<b>Url: </b>" . $row['url'] .
"</td>";

        //echo "<td>" . $row['album_name'] . "</td>";
        //echo "<td>" . $row['album_url'] . "</td>";
        //echo "<td>" . $row['album_pix'] . "</td>";

    echo "</tr>";
}
echo "</table>";
// Free result set
mysqli_free_result($result);
} else{
    echo "No records matching your query were found.";
}
} else{
    echo "ERROR: Could not able to execute $sql. " .
mysqli_error($link);
}

// Close connection
mysqli_close($link);
?>

```

## **myvideos.php**

```

<?php

session_start();
//echo $_SESSION["u_n"] . " " ;

```

```
$var = $_SESSION["u_n"];
```

```
?>
```

```
<!DOCTYPE html>
```

```
<html lang="en">
```

```
<head>
```

```
charset="utf-8">
```

```
<meta
```

```
<title>tonyalmighty.software</title>
```

```
<link
```

```
rel="stylesheet" type="text/css" href="style_.css" />
```

```
<meta
```

```
name="viewport" content="width=device-width, initial-scale=1.0">
```

```
<meta
```

```
name="author" content="Carmine Rendina">
```

```
<meta
```

```
name="description" content="Php Mysql Zend CSS-based design.">
```

```
</head>
```

```
<!--
```

```
-->
```

```
<body id="css-zen-garden">
```

```
<div class="page-wrapper">
```

```
<section class="intro" id="zen-intro">
```

```
<header
```

```
role="banner">
```

```
<h1> <a
```

href="/index.php">[ tonyalmighty.software ] </a></h1>

</header>

class="summary" id="zen-summary" role="article">

<div

<p>

</p>

<p>

<a href="register user.php"><b>Register</b></a> | <a href="/index.php">Home</a> | <a href="http://www.tonyalmighty.com/">Links</a> | <a href="/contact\_me.php">Contact</a>

</div>

<!-- Start Paragraph -->

class="preamble" id="zen-preamble" role="article">

<div

<h1>

```
<?php
    echo $var;
    echo " ";
?>
<a href="videolist.php">Video Playlist </a>    </h1>

<hr>

</p>

<p>
```

```
<!-------
----->
```

```
<?php require("look-up-videos.php"); ?>
```

```
<!-------
----->
```



</p>

<hr>

</div>

</section>

<div  
class="main supporting" id="zen-supporting" role="main">

<div  
class="requirements" id="zen-requirements" role="article">

<br><p  
role="contentinfo" align = "right" /><h2>tonyalmighty.software  
&copy All Rights Reserved</h2></a></p><br>

</div>

</div>

<aside  
class="sidebar" role="complementary">



```
href="/index.php" class="design-name">Home</a> <a
```

```
</li>
```

```
<li>
```

```
href="http://www.tonyalmighty.com" class="design-name">Links</a> <a
```

```
</li>
```

```
<li>
```

```
href="/contact_me.php" class="design-name">Contact</a> <a
```

```
</li>
```

```
<li><a href="upload-video.php">Upload  
Video</a></li>
```

```
<li><hr></li>
```

```
</nav>
```

```
</div>
```

```
class="design-archives" id="design-archives"> <div
```

role="navigation">

<nav

class="next">

<ul>

<li

class="viewall">

</li>

<li

</li>

</ul>

</nav>

</div>

```
</aside>
```

```
</div>
```

```
</body>
```

```
</html>
```

## **pix.php**

```
<!DOCTYPE html>
```

```
<html lang="en">
```

```
<head>
```

```
charset="utf-8">
```

```
<meta
```

```
<title>tonyalmighty.software</title>
```

```
rel="stylesheet" type="text/css" href="style_.css" />
```

```
<link
```

```
name="viewport" content="width=device-width, initial-scale=1.0">
```

```
<meta
```

```
name="author" content="Carmin Rendina">
```

```
<meta
```

```
name="description" content="Php Mysl Zend CSS-based design.">
```

```
<meta
```

```
</head>
```

```
<!--
```

```
-->
```

```
<body id="css-zen-garden">
```

```
<div class="page-wrapper">
```

```
<section class="intro" id="zen-intro">
```

```
role="banner">
```

```
<header
```

```
href="/index.php">[ tonyalmighty.software ] </a></h1>
```

```
<h1> <a
```

```
</header>
```

```
class="summary" id="zen-summary" role="article">
```

```
<div
```

```
<p>
```

```
</p>
```

```
<p>
```

```
    <a href="register_user.php"><b>Register</b></a> | <a  
href="/index.php">Home</a> | <a  
href="http://www.tonyalmighty.com/">Links</a> | <a  
href="/contact_me.php">Contact</a>
```

```
</div>
```

```
<!--          Start Paragraph          -->
```

```
class="preamble" id="zen-preamble" role="article">
```

```
<div
```

```
php $pix = $_GET['my_pic']; ?> <h1> Avatar | <?php echo " " .  
$pix; ?> </h1>
```

```
<?>
```

```
<hr>
```

```
</p>
```

```
<p>
```

```
<!------- GET IMAGES LOOP (COOL  
ONE) ----->
```

```
<?php
```

```
//error_reporting(E_ALL ^ E_STRICT);
```

```
error_reporting(0);
```

```
$img
```

```
= "Avatar " . $pix;
```

```
echo scanDirectoryImages($img);
```

```
function scanDirectoryImages($directory, array $exts =
```

```

array('jpeg', 'jpg', 'gif', 'png'))
{
if (substr($directory, -1) == '/') {
    $directory = substr($directory, 0, -1);
}
$html = '';
if (
    is_readable($directory)
    && (file_exists($directory) || is_dir($directory))
) {
    $directoryList = opendir($directory);
    while($file = readdir($directoryList)) {
        if ($file != '.' && $file != '..') {
            $path = $directory . '/' . $file;
            if (is_readable($path)) {
                if (is_dir($path)) {
                    return scanDirectoryImages($path, $exts);
                }
                if (
                    is_file($path)
                    && in_array(end(explode('.', end(explode('/',
$path))))), $exts)
                ) {
                    $html .= '<a href="' . $path . '"> </a>';
                }
            }
        }
    }
    closedir($directoryList);
}
return $html;
}

```

?>



```
<!------->
```

```
</p>
```

```
<hr>
```

```
</div>
```

```
</section>
```

```
<div class="main supporting" id="zen-supporting" role="main">
```

```
<div class="requirements" id="zen-requirements" role="article">
```

```
role="contentinfo" align = "right" /><h2>tonyalmighty.software  
&copy; All Rights Reserved</h2></a></p><br>
```

```
</div>
```

```
</div>
```

```
class="sidebar" role="complementary">
```

```
<aside
```

```
class="wrapper">
```

```
<div
```

```
class="design-selection" id="design-selection">
```

```
<div
```

```
class="select">Select a Design:</h3>
```

```
<h3
```

```
role="navigation">
```

```
<nav
```

```
<ul>
```

```
<li>
```

```
action="search.php" method="POST">
```

```
<form
```

```
value = "Search"/> <input type="text" size="20" name="title"
```

</li><br>

<li><hr></li>

<li>

<a

href="/index.php" class="design-name">Home</a>

</li>

<li>

<a

href="http://www.tonyalmighty.com" class="design-name">Links</a>

</li>

<li>

<a

href="/contact\_me.php" class="design-name">Contact</a>

</li>

<li><hr></li>

</nav>

</div>

<div

class="design-archives" id="design-archives">

<nav

role="navigation">

<ul>

<li

class="next">

</li>

<li

class="viewall">

```
</li>
```

```
</ul>
```

```
</nav>
```

```
</div>
```

```
</aside>
```

```
</div>
```

```
</body>
```

```
</html>
```

## **play.php**

```
<?php error_reporting(0); ?>
```

```
<?php
```

```
session_start();
```

```
//echo $_SESSION["u_n"] . " " ;
```

```
$var = $_SESSION["u_n"];
```

```
?>
```

```
<!DOCTYPE html>
```

```
<html lang="en">
```

```
<head>
```

```
charset="utf-8">
<title>tonyalmighty.software</title>
rel="stylesheet" type="text/css" href="style_.css" />
name="viewport" content="width=device-width, initial-scale=1.0">
name="author" content="Carmin Rendina">
name="description" content="Php Mysl Zend CSS-based design.">
</head>
<body id="css-zen-garden">
<div class="page-wrapper">
<section class="intro" id="zen-intro">
role="banner">
href="/index.php">[ tonyalmighty.software ] </a></h1>
</header>
class="summary" id="zen-summary" role="article">
<p>
```

</p>

<p>

<a href="register user.php"><b>Register</b></a> | <a href="/index.php">Home</a> | <a href="http://www.tonymighty.com/">Links</a> | <a href="/contact\_me.php">Contact</a>

</div>

<!-- Start Paragraph -->

class="preamble" id="zen-preamble" role="article">

<div

<h1><a href="videolist.php">Playing ...</a> <?php require("header\_track.php"); ?></h1>

<hr>

</p>

```
<!-------  
LIKE----->
```

```
<?php
```

```
$link = mysqli_connect("localhost","root","","blog_db");
```

```
// Check connection
```

```
if($link === false){
```

```
    die("ERROR: Could not connect. " . mysqli_connect_error());
```

```
}
```

```
// Attempt select query execution
```

```
$sql = "SELECT * FROM videos where title = '$get_video'";
```

```
if($result = mysqli_query($link, $sql)){
```

```
    if(mysqli_num_rows($result) > 0){
```

```
        while($row = mysqli_fetch_array($result)){
```

```
$like =
```

```
$row['mylike'];
```

```
$dislike = $row['dislike'];
```

```
}
```

```
// Free result set
```

```
mysqli_free_result($result);
```

```
} else{
```

```
    echo "No records matching your query were found.";
```



```
    }
} else{
    echo "ERROR: Could not able to execute $sql. " .
mysqli_error($link);
}
```

```
// Close connection
mysqli_close($link);
```

```
?>
```

```
                                <?php
echo "<td><a href='like_video.php?lvi=$get_video'><img src='l.png'
width='20'height='20'>" . " " . $like. "</a></td>"; ?>
```

```
                                <?php echo "<td><a href='dislike_video.php?
dvi=$get_video'><img src='dl.png' width='20'height='20'>" . " " .
$dislike. "</a></td>"; ?>
```

```
<p>
```

```
<!------->
```

```
<?php
```

```
$num = $_GET['track_id'];
```

```
//
```

```
//echo "Title: ".$num;
```

```
?>
```

```
<?php
```

```

$link = mysqli_connect("localhost","root","","blog_db");

// Check connection
if($link === false){
    die("ERROR: Could not connect. " . mysqli_connect_error());
}

//$search = $_POST['title'];

$num = $_GET['track_id'];

// Attempt select query execution
$sql = "SELECT * FROM videos WHERE id = $num";

if($result = mysqli_query($link, $sql)){
    if(mysqli_num_rows($result) > 0){
        echo "<table border = '0'>";
        echo "<tr>";

            //echo "<th>id</th>";
            //echo "<th>title</th>";
            //echo "<th>url</th>";

        echo "</tr>";
        while($row = mysqli_fetch_array($result)){

            //echo "<tr>";

                                                    echo
"<tr class='hoverTable'>";

                //echo "<td width = '400px'><b><p class='wb-stl-
normal'>" . "Track: " . $row['id'] . "</b></td>";

                //echo "<td width = '300px'><b>" .
$row['title'] . "</a></b></td>";

```



```

        //echo "<td width = '400px'><b>" . "<a href='" .
$row['album_url'] . "'>" . $row['album_name'] . "</a></b></td>";

        //echo "<td><b>" . "<a href='" . $row['album_url']
. "'>" . "<img src='" . $row['album_pix'] . "' width='60'
height='60'>" . "</img></a></b></td>";

        echo "</tr>";
    }
    echo "</table>";

    // Free result set
    mysqli_free_result($result);

} else{
    echo "No records matching your query were found.";
}
} else{
    echo "ERROR: Could not able to execute $sql. " .
mysqli_error($link);
}

// Close connection
mysqli_close($link);

?>

<br><hr><br>

```

```

<!------- OK ROCK & ROLL
----->

```

```
<?php
```

```
// $id = $_SESSION["user_id"];

$link = mysqli_connect("localhost", "root", "", "blog_db");

// Check connection
if($link === false){
    die("ERROR: Could not connect. " . mysqli_connect_error());
}

error_reporting(E_ALL & ~E_NOTICE);

$id=$var;

// Attempt select query execution
$sql = "SELECT * FROM blog_posts where email = '$id' limit 1";

if($result = mysqli_query($link, $sql)){
    if(mysqli_num_rows($result) > 0){
        //echo "<table border = '0'>";
        //echo "<tr>";

        //echo "</tr>";
        while($row = mysqli_fetch_array($result)){
```

```

        //echo "<tr>";

                                                                    //echo
"<tr class='hoverTable'>";

                                                                    //echo
"<td>";

                                                                    //echo
"<img src='" . $row['avatar'] . "' width='30' height='30'>";

                                                                    //echo
"</td>";

                                                                    $get_av
= $row['avatar'];

    }

                                                                    //
echo "</table>";

    // Free result set
    mysqli_free_result($result);

    } else{
        //echo "No records matching your query were found.";
    }
} else{
    //echo "ERROR: Could not able to execute $sql. " .
    mysqli_error($link);
}

// Close connection
mysqli_close($link);

```

?>

<?php

```
// $id = $_SESSION["user_id"];

$link = mysqli_connect("localhost","root","","blog_db");

// Check connection
if($link === false){
    die("ERROR: Could not connect. " . mysqli_connect_error());
}

error_reporting(E_ALL & ~E_NOTICE);

// $id = $var;

// $id = "Indipendence day";

$id = $vt;

// Attempt select query execution
$sql = "SELECT * FROM video_blog where video_id = '$id'";
```

```

if($result = mysqli_query($link, $sql)){
    if(mysqli_num_rows($result) > 0){
        echo "<table border = '0'>";
        // echo "<tr>";

        //echo "</tr>";
        while($row = mysqli_fetch_array($result)){

            echo "<tr>";

            echo
"<tr class='hoverTable'>";

            echo
"<td>";

            //echo
"<img src='" . $get_av . "' width='20' height='20'></img>";

            echo
"<img src='" . $row['avatar'] . "' width='20' height='20'></img>";

            echo
"</td>";

            echo
"<td>";

            $get_usr = $row['user_id'];

            echo

```



```
"<a href='look-up-user.php?sbu=$get_usr'" . $row['user_id'] .
"</a>";

                                                                    echo
"</td>";

                                                                    echo
"<td>";

                                                                    echo
$row['post'];

                                                                    echo
"</td>";

                                                                    echo
"<td>";

                                                                    echo
$row['date_posted'];

                                                                    echo
"</td>";

                echo "</tr>";

        }

echo "</table>";

        // Free result set
        mysqli_free_result($result);

    } else{
```

```
        //echo "No records matching your query were found.";
    }
} else{
    //echo "ERROR: Could not able to execute $sql. " .
mysqli_error($link);
}
```

```
// Close connection
mysqli_close($link);
```

```
?>
```

```
<br>
```

```
<!------->
```

```
<?php
```

```
if($_SESSION['u_n']!=NULL){
```

```
    //haven't log in
```

```
echo "<p>";
```

```
error_reporting(E_ALL & ~E_NOTICE);
```

```
//$today = date('l jS \of F Y h:i:s A');
```

```
$today = date("d-m-Y");
```

```
echo "
```

```
<form action = 'insert_video_blog.php' method = 'POST'
id='videopost'>
```

```
<p align = left>
```

```
<table border = 1>
```

```
<input type = 'hidden' name='video_id' title='' style='width: 150'
value= '$vt';/ readonly>
```

```
<input type = 'hidden' name='email' title='' style='width: 150'
value= '$var';/ readonly>
```

```
<input type = 'hidden' name='avatar' title='' style='width: 150'
value= '$get_av'; / readonly>
```

```
<textarea name='post' title='Post Your Message' rows='5' cols='60'
onkeyup='valid(this)' onblur='valid(this)' wrap='hard' /> Leave a
Comment.
```

```
</textarea><br /><br />
```

```
<input type = 'hidden' name='date_posted' title='' style='width:
303' value = '$today' readonly/>
```

```
<div class='field-group'>
```

```
<div><input type='submit' name='send' value='Send a comment'
class='form-submit-button' ></span></div>
```

```
</div>
```

```
</form>
```

```
</table>
```

```
</p>
```

```
";
```

```
}
```

?>

<!-------  
----->

</p>

<hr>

</div>

</section>

<div

class="main supporting" id="zen-supporting" role="main">

<div

class="requirements" id="zen-requirements" role="article">

<br><p

role="contentinfo" align = "right" /><h2>tonyalmighty.software  
&copy All Rights Reserved</h2></a></p><br>

</div>

</div>

```
class="sidebar" role="complementary">                                     <aside
class="wrapper">                                                         <div
class="design-selection" id="design-selection">                           <div
class="select">Select a Design:</h3>                                     <h3
role="navigation">                                                       <nav
<ul>                                                                       <ul>
<li>                                                                       <li>
action="search.php" method="POST">                                       <form
value = "Search"/> <input type="text" size="20" name="title"
</li><br>
```

```
<li><hr></li>
```

```
<li>
```

```
<a
```

```
href="/index.php" class="design-name">Home</a>
```

```
</li>
```

```
<li>
```

```
<a
```

```
href="http://www.tonyalmighty.com" class="design-name">Links</a>
```

```
</li>
```

```
<li>
```

```
<a
```

```
href="/contact_me.php" class="design-name">Contact</a>
```

```
</li>
```

```
<li><hr></li>
```

```
</nav>
```

```
</div>
```

```
class="design-archives" id="design-archives">
```

```
<div
```

```
role="navigation">
```

```
<nav
```

```
<ul>
```

```
class="next">
```

```
<li
```

```
</li>
```

```
class="viewall">
```

```
<li
```

```
</li>
```

```
</ul>
```

```
</nav>
```

</div>

</aside>

</div>

</body>

</html>

## **play.php (<iframe>)**

```
<?php error_reporting(0); ?>
```

```
<?php
```

```
session_start();
```

```
//echo $_SESSION["u_n"] . " " ;
```

```
$var = $_SESSION["u_n"];
```

```
?>
```

```
<!DOCTYPE html>
```

```
<html lang="en">
```

```
<head>
```

<meta

```
charset="utf-8">
```

```
<title>tonyalmighty.software</title>
```

<link

```
rel="stylesheet" type="text/css" href="style_.css" />
```



```
name="viewport" content="width=device-width, initial-scale=1.0">
name="author" content="Carmin Rendina">
name="description" content="Php Mysl Zend CSS-based design.">
</head>
```

```
<body id="css-zen-garden">
```

```
<div class="page-wrapper">
```

```
<section class="intro" id="zen-intro">
```

```
role="banner">
```

```
href="/index.php">[ tonyalmighty.software ] </a></h1>
```

```
</header>
```

```
class="summary" id="zen-summary" role="article">
```

```
<meta
<meta
```

```
<meta
```

```
<header
<h1> <a
```

```
<div
```

```
<p>
```

```
</p>
```

```
<p>
```

```
<a href="register user.php"><b>Register</b></a> | <a href="/index.php">Home</a> | <a href="http://www.tonymighty.com/">Links</a> | <a href="/contact_me.php">Contact</a>
```

</div>

```
<!-- Start Paragraph -->
```

```
class="preamble" id="zen-preamble" role="article">
```

```
<h1><a href="videolist.php">Playing ...</a> <?php require("header_track.php"); ?></h1>
```

<hr>

</p>

```
<!-------  
LIKE----->
```

<?php

```

$link = mysqli_connect("localhost","root","","blog_db");

// Check connection
if($link === false){
    die("ERROR: Could not connect. " . mysqli_connect_error());
}
// Attempt select query execution
$sql = "SELECT * FROM videos where title = '$get_video'";

if($result = mysqli_query($link, $sql)){
    if(mysqli_num_rows($result) > 0){

        while($row = mysqli_fetch_array($result)){

                                                    $like =
$row['mylike'];

$dislike = $row['dislike'];

        }

        // Free result set
        mysqli_free_result($result);

    } else{
        echo "No records matching your query were found.";

    }
} else{
    echo "ERROR: Could not able to execute $sql. " .
mysqli_error($link);
}

// Close connection

```

```
mysqli_close($link);
```

```
?>
```

```
                                <?php  
echo "<td><a href='like_video.php?lvi=$get_video'><img src='l.png'  
width='20'height='20'>" . " " . $like. "</a></td>"; ?>
```

```
                                <?php echo "<td><a href='dislike_video.php?  
dvi=$get_video'><img src='dl.png' width='20'height='20'>" . " " .  
$dislike. "</a></td>"; ?>
```

```
<p>
```

```
<!-------  
----->
```

```
<?php
```

```
//
```

```
$num = $_GET['track_id'];
```

```
//echo "Title: ".$num;
```

```
?>
```

```
<?php
```

```
$link = mysqli_connect("localhost","root","","blog_db");
```

```
// Check connection
```

```
if($link === false){
```

```
    die("ERROR: Could not connect. " . mysqli_connect_error());
```

```

}

//$search = $_POST['title'];

$num = $_GET['track_id'];

// Attempt select query execution
$sql = "SELECT * FROM videos WHERE id = $num";

if($result = mysqli_query($link, $sql)){
    if(mysqli_num_rows($result) > 0){
        echo "<table border = '0'>";
        echo "<tr>";

                //echo "<th>id</th>";
                //echo "<th>title</th>";
                //echo "<th>url</th>";

        echo "</tr>";
        while($row = mysqli_fetch_array($result)){

                //echo "<tr>";

                echo
"<tr class='hoverTable'>";

                //echo "<td width = '400px'><b><p class='wb-stl-
normal'>" . "Track: " . $row['id'] . "</b></td>";

                //echo "<td width = '300px'><b>" .
$row['title'] . "</a></b></td>";

                echo
"<td width = '500px' align = 'center'>";

```

```

                                                                    echo
"<iframe width='400' height='400' src='";

                                                                    echo
$row['url'] . "' frameborder='0' allow='accelerometer; encrypted-
media; gyroscope; picture-in-picture' allowfullscreen></iframe>";

                                                                    $vt
= $row['title'];

                                                                    echo
"</td>";

                                                                    //echo "<td width = '400px'><b>" . "<a href='" .
$row['album_url'] . "'>" . $row['album_name'] . "</a></b></td>";

                                                                    //echo "<td><b>" . "<a href='" . $row['album_url']
. "'>" . "<img src='" . $row['album_pix'] . "' width='60'
height='60'>" . "</img></a></b></td>";

        echo "</tr>";
    }
    echo "</table>";

    // Free result set
    mysqli_free_result($result);

} else{
    echo "No records matching your query were found.";
}
} else{
    echo "ERROR: Could not able to execute $sql. " .
mysqli_error($link);
}

```

```
// Close connection
mysqli_close($link);
```

```
?>
```

```
<br><hr><br>
```

```
<!------- OK ROCK & ROLL
----->
```

```
<?php
```

```
//$id = $_SESSION["user_id"];
```

```
$link = mysqli_connect("localhost","root","","blog_db");
```

```
// Check connection
```

```
if($link === false){
```

```
    die("ERROR: Could not connect. " . mysqli_connect_error());
```

```
}
```

```
error_reporting(E_ALL & ~E_NOTICE);
```

```

$id=$var;

// Attempt select query execution
$sql = "SELECT * FROM blog_posts where email = '$id' limit 1";

if($result = mysqli_query($link, $sql)){
    if(mysqli_num_rows($result) > 0){
        //echo "<table border = '0'>";
        //echo "<tr>";

        //echo "</tr>";
        while($row = mysqli_fetch_array($result)){

            //echo "<tr>";

            //echo
"<tr class='hoverTable'>";

            //echo
"<td>";

            //echo
"<img src='" . $row['avatar'] . "' width='30' height='30'>";

            //echo
"</td>";

            $get_av
= $row['avatar'];

        }

//

```



```
echo "</table>";

    // Free result set
    mysqli_free_result($result);

} else{
    //echo "No records matching your query were found.";
}
} else{
    //echo "ERROR: Could not able to execute $sql. " .
mysqli_error($link);
}

// Close connection
mysqli_close($link);

?>
```

<?php

```
//$id = $_SESSION["user_id"];

$link = mysqli_connect("localhost","root","","blog_db");

// Check connection
if($link === false){
    die("ERROR: Could not connect. " . mysqli_connect_error());
}
```

```

error_reporting(E_ALL & ~E_NOTICE);

//$id=$var;

//$id = "Indipendence day";

$id = $vt;

// Attempt select query execution
$sql = "SELECT * FROM video_blog where video_id = '$id'";

if($result = mysqli_query($link, $sql)){
    if(mysqli_num_rows($result) > 0){
        echo "<table border = '0'>";
        // echo "<tr>";

        //echo "</tr>";
        while($row = mysqli_fetch_array($result)){

            echo "<tr>";

            echo
"<tr class='hoverTable'>";

            echo
"<td>";

            //echo
"<img src='\" . $get_av . \"' width='20' height='20'></img>";

```

```
echo
"<img src='" . $row['avatar'] . "' width='20' height='20'></img>";
```

```
echo
"</td>";
```

```
echo
"<td>";
```

```
$get_usr = $row['user_id'];
```

```
echo
"<a href='look-up-user.php?sbu=$get_usr'>" . $row['user_id'] .
"</a>";
```

```
echo
"</td>";
```

```
echo
"<td>";
```

```
echo
$row['post'];
```

```
echo
"</td>";
```

```
echo
"<td>";
```

```
echo
```

```
$row['date_posted'];
```

echo

```
"</td>";
```

```
        echo "</tr>";
```

```
    }
```

```
echo "</table>";
```

```
    // Free result set
```

```
    mysqli_free_result($result);
```

```
    } else{
```

```
        //echo "No records matching your query were found.";
```

```
    }
```

```
} else{
```

```
    //echo "ERROR: Could not able to execute $sql. " .
```

```
mysqli_error($link);
```

```
}
```

```
// Close connection
```

```
mysqli_close($link);
```

```
?>
```

```
<br>
```

```
<!------->
```

```
<?php
```

```
if($_SESSION['u_n']!=NULL) {
```

```
    //haven't log in
```

```
echo "<p>";
```

```
error_reporting(E_ALL & ~E_NOTICE);
```

```
//$today = date('l jS \of F Y h:i:s A');
```

```
$today = date("d-m-Y");
```

```
echo "
```

```
<form action = 'insert_video_blog.php' method = 'POST'  
id='videopost'>
```

```
<p align = left>
```

```
<table border = 1>
```

```
<input type = 'hidden' name='video_id' title='' style='width: 150'  
value= '$vt';/ readonly>
```

```
<input type = 'hidden' name='email' title='' style='width: 150'  
value= '$var';/ readonly>
```

```
<input type = 'hidden' name='avatar' title='' style='width: 150'  
value= '$get_av'; / readonly>
```

```
<textarea name='post' title='Post Your Message' rows='5' cols='60'  
onkeyup='valid(this)' onblur='valid(this)' wrap='hard' /> Leave a  
Comment.
```

```
</textarea><br /><br />
```

```
<input type = 'hidden' name='date_posted' title='' style='width:  
303' value = '$today' readonly/>
```

```
<div class='field-group'>
<div><input type='submit' name='send' value='Send a comment'
class='form-submit-button' ></span></div>
</div>
```

```
</form>
```

```
</table>
```

```
</p>
```

```
";
```

```
}
```

```
?>
```

```
<!------->
```

```
</p>
```

```
<hr>
```

```
</div>
```

```
</section>
```

```
class="main supporting" id="zen-supporting" role="main"> <div>

class="requirements" id="zen-requirements" role="article"> <div>

role="contentinfo" align = "right" /><h2>tonyalmighty.software <br><p>
&copy All Rights Reserved</h2></a></p><br>

</div>

</div>

class="sidebar" role="complementary"> <aside>

class="wrapper"> <div>

class="design-selection" id="design-selection"> <div>

class="select">Select a Design:</h3> <h3>

role="navigation"> <nav>

<ul>

<li>
```

<form

action="search.php" method="POST">

<input type="text" size="20" name="title"  
value = "Search"/>

</li><br>

<li><hr></li>

<li>

<a

href="/index.php" class="design-name">Home</a>

</li>

<li>

<a

href="http://www.tonyalmighty.com" class="design-name">Links</a>

</li>

<li>

<a

href="/contact\_me.php" class="design-name">Contact</a>



</li>

<li><hr></li>

</nav>

</div>

class="design-archives" id="design-archives">

<div

role="navigation">

<nav

<ul>

class="next">

<li

</li>

class="viewall">

<li

```
</li>
```

```
</ul>
```

```
</nav>
```

```
</div>
```

```
</aside>
```

```
</div>
```

```
</body>
```

```
</html>
```

## **register user.php**

```
<!DOCTYPE html>
```

```
<html lang="en">
```

```
<head>
```

```
<meta
```

```
charset="utf-8">
```

```
<title>tonyalmighty.software</title>
```

```
<link
```

```
rel="stylesheet" type="text/css" href="style_.css" />
<meta
name="viewport" content="width=device-width, initial-scale=1.0">
<meta
name="author" content="Carmine Rendina">
<meta
name="description" content="Php Mysl Zend CSS-based design.">

</head>

<!--

-->

<body id="css-zen-garden">

<div class="page-wrapper">

<section class="intro" id="zen-intro">

<header
role="banner">
<h1> <a
href="/index.php">[ tonyalmighty.software ] </a></h1>

</header>

<div
class="summary" id="zen-summary" role="article">

<p>
```

</p>

<p>

<a href="register user.php"><b>Register</b></a> | <a href="/index.php">Home</a> | <a href="http://www.tonymighty.com/">Links</a> | <a href="/contact\_me.php">Contact</a>

</div>

<!-- Start Paragraph -->

class="preamble" id="zen-preamble" role="article">

Create User Account</h1>

<hr>

</p>

<p>

```
<!------->
```

```
<?php
```

```
require("upload file.php");
```

```
?>
```

```
<!------->
```

```
</p>
```

<hr>

</div>

</section>

<div

class="main supporting" id="zen-supporting" role="main">

<div

class="requirements" id="zen-requirements" role="article">

<br><p

role="contentinfo" align = "right" /><h2>tonyalmighty.software  
&copy; All Rights Reserved</h2></a></p><br>

</div>

</div>

<aside

class="sidebar" role="complementary">

<div

class="wrapper">

<div

class="design-selection" id="design-selection">

<h3

class="select">Select a Design:</h3>

<nav

role="navigation">

<ul>

<li>

<form

action="search.php" method="POST">

<input type="text" size="20" name="title"  
value = "Search"/>

</li><br>

<li><hr></li>

<li>

<a

href="/index.php" class="design-name">Home</a>

</li>

<li>

<a

href="http://www.tonyalmighty.com" class="design-name">Links</a>

</li>

<li>

<a

href="/contact\_me.php" class="design-name">Contact</a>

</li>

<li><hr></li>

</nav>

</div>

class="design-archives" id="design-archives">

<div

role="navigation">

<nav

<ul>

class="next">

<li



```
</li>
```

```
<li
```

```
class="viewall">
```

```
</li>
```

```
</ul>
```

```
</nav>
```

```
</div>
```

```
</aside>
```

```
</div>
```

```
</body>
```

```
</html>
```

## **register.php**

```
<?php header('Location: index.php'); ?>
```

```
<?php
error_reporting(E_ALL ^ E_DEPRECATED);
?>

<br>

<?php

require("db.php");

echo "Thank you!";
echo "<br><br>";
//echo "<a href = 'http://tonyalmighty.software/'><b>Click
here</a></b> to go back!";
//echo "<br>";

//$x0 = $_POST['id'];
$x1 = $_POST['email'];
$x2 = $_POST['password'];
$x3 = $_POST['avatar'];
$x4 = $_POST['post'];
$x5 = $_POST['date_posted'];

$x7 = $_POST['pic'];

$x8 = $_POST['blnk'];

// USER PROFILE

$x9 = $_POST['username'];
$x10 = $_POST['surname'];
$x11 = $_POST['dob'];
$x12 = $_POST['tel'];
$x13 = $_POST['mail'];
$x14 = $_POST['web'];
$x15 = $_POST['address'];
```

```

$x16 = $_POST['town'];
$x17 = $_POST['postcode'];
$x18 = $_POST['country'];
$x19 = $_POST['birthplace'];
$x20 = $_POST['occupation'];
$x22 = $_POST['school'];
$x21 = $_POST['hobby'];

echo "<br>";

echo "You have submitted the following values:<br /> \n";

echo "<br>";

//echo "Id: {$x0} <br /> \n";
echo "<b>User (E-mail/name/nickname):</b> {$x1} <br /> \n";
echo "<b>Password:</b> {$x2} <br /> \n";
echo "<b>Avatar:</b> {$x3} <br /> \n";
echo "<b>Post:</b> {$x4} <br /> \n";
echo "<b>Date Posted:</b> {$x5} <br /> \n";

echo "<b>Pictures:</b> {$x7} <br /> \n";

echo "<br>";

$super_engine = "

INSERT INTO blog_posts
(email,password,avatar,post,date_posted,image,image_url,user_name,
surname,dob,tel,mail,web,address,town,postcode,country,birthplace,
occupation,hobby,school)

values
('{$x1}','{$x2}','{$x3}','{$x4}','{$x5}','{$x7}','{$x8}','{$x9}','
{$x10}','{$x11}','{$x12}','{$x13}','{$x14}','{$x15}','{$x16}','{$x
17}','{$x18}','{$x19}','{$x20}','{$x21}','{$x22}')

```

```
";

mysql_query($super_engine);

if(mysql_errno() !=0)
{

echo "Error <b>" . mysql_errno() . "</b>: " . mysql_error() . "<br
/>";

}

else
{

echo "<br><br>";

echo "inserted successfully!<br />";

};

echo "<p align='right'><b><a href='javascript: history.go(-
1) ' >Back</b></a>";

?>
```

## **search.php**

```
<?php error_reporting(0); ?>

<!DOCTYPE html>
<html lang="en">
<head>

                                                                                   <meta
charset="utf-8">

<title>tonyalmighty.software</title>
```

```
rel="stylesheet" type="text/css" href="style_.css" /> <link
name="viewport" content="width=device-width, initial-scale=1.0"> <meta
name="author" content="Carmine Rendina"> <meta
name="description" content="Php Mysql Zend CSS-based design."> <meta

</head>

<!--

-->

<body id="css-zen-garden">

<div class="page-wrapper">

<section class="intro" id="zen-intro">

role="banner"> <header
href="/index.php">[ tonyalmighty.software ] </a></h1> <h1> <a

</header>

class="summary" id="zen-summary" role="article"> <div
<p> <p>
```

</p>

<p>

```
<a href="register user.php"><b>Register</b></a> | <a
href="/index.php">Home</a> | <a
href="http://www.tonyalmighty.com/">Links</a> | <a
href="/contact_me.php">Contact</a>
```

</div>

```
<!--          Start Paragraph          -->
```

```
class="preamble" id="zen-preamble" role="article">
```

<h1>

<?

php

```
$username = $_POST['title'];
print ($username);
```

?>

</h1>

<hr>

</p>

<p>

```
<!-------  
----->
```

```
<?php
```

```
require ("look-up.php");
```

```
?>
```

```
<!-------  
----->
```

</p>

<!--  
<hr>

-->

</div>

</section>

<div  
class="main supporting" id="zen-supporting" role="main">

<div  
class="requirements" id="zen-requirements" role="article">

<br><p  
role="contentinfo" align = "right" /><h2>tonyalmighty.software  
&copy; All Rights Reserved</h2></a></p><br>

</div>

</div>

<aside  
class="sidebar" role="complementary">

<div  
class="wrapper">



```
class="design-selection" id="design-selection">                                     <div
                                                                                                     <h3
class="select">Select a Design:</h3>
                                                                                                     <nav
role="navigation">
                                                                                                     <ul>
                                                                                                     <li>
                                                                                                     <form
action="search.php" method="POST">
                                                                                                     <input type="text" size="20" name="title"
value = "Search"/>
                                                                                                     </li><br>
                                                                                                     <li><hr></li>
                                                                                                     <li>
                                                                                                     <a
href="/index.php" class="design-name">Home</a>
```

</li>

<li>

<a href="http://www.tonyalmighty.com" class="design-name">Links</a>

</li>

<li>

<a href="/contact\_me.php" class="design-name">Contact</a>

</li>

<li><hr></li>

</nav>

</div>

<div class="design-archives" id="design-archives">

<nav role="navigation">

<ul>

<li

class="next">

</li>

<li

class="viewall">

<?php

```
$link = mysqli_connect("localhost","root","","blog_db");
```

```
// Check connection
```

```
if($link === false){
```

```
    die("ERROR: Could not connect. " . mysqli_connect_error());
```

```
}
```

```
//$search = $_POST['email'];
```

```
$search = $username;;
```

```
// Attempt select query execution
```

```
$sql = "SELECT * FROM blog_posts WHERE email = '$search' ORDER BY  
id DESC ";
```

```
if($result = mysqli_query($link, $sql)){
```

```
    if(mysqli_num_rows($result) > 0){
```

```

        while($row = mysqli_fetch_array($result)){

$un = $row['user_name'];
$sn = $row['surname'];
$tn = $row['town'];
$cn = $row['country'];
// $from = "from ";
$ln = "<hr>";

        }

        // Free result set
        mysqli_free_result($result);

    } else{
        //echo "No records matching your query were found.";

= "";
= "";
= "";
= "";
= "";

$from = "";

= "";
    }
} else{
    //echo "ERROR: Could not able to execute $sql. " .
    mysqli_error($link);
}

// Close connection
mysqli_close($link);

```

```
?>
```

```
<?php
```

```
$un . " " . $sn . "<br><br>";
```

echo

```
$twn . "&nbsp;&nbsp;&nbsp;" . $cnt . "<br><br>";
```

echo

```
$ln;
```

echo

```
?>
```

```
</li>
```

```
</ul>
```

```
</nav>
```

```
</div>
```

```
</aside>
```

```
</div>
```

```
</body>
```

```
</html>
```



```
href="/index.php">[ tonyalmighty.software ] </a></h1> <h1> <a
```

```
</header>
```

```
class="summary" id="zen-summary" role="article"> <div
```

```
<p>
```

```
</p>
```

```
<p>
```

```
<a href="register user.php"><b>Register</b></a> | <a  
href="/index.php">Home</a> | <a  
href="http://www.tonyalmighty.com/">Links</a> | <a  
href="/contact_me.php">Contact</a>
```

```
</div>
```

```
<!-- Start Paragraph -->
```

```
class="preamble" id="zen-preamble" role="article"> <div
```

<h1>

<?

php

```
$username = $_POST['title'];  
print ($username);
```

?>

</h1>

<hr>

</p>

<p>

<!-------  
----->

<?php

```
require("look-up.php");
```

?>



```
<!------->
----->

</p>

<!--
<hr>
-->

</div>

</section>

<div
class="main supporting" id="zen-supporting" role="main">

<div
class="requirements" id="zen-requirements" role="article">

<br><p
role="contentinfo" align = "right" /><h2>tonyalmighty.software
&copy; All Rights Reserved</h2></a></p><br>
```

</div>

</div>

class="sidebar" role="complementary">

<aside

class="wrapper">

<div

class="design-selection" id="design-selection">

<div

class="select">Select a Design:</h3>

<h3

role="navigation">

<nav

<ul>

<li>

action="search.php" method="POST">

<form

value = "Search"/> <input type="text" size="20" name="title"

</li><br>

```
<li><hr></li>
```

```
<li>
```

```
<a
```

```
href="/index.php" class="design-name">Home</a>
```

```
</li>
```

```
<li>
```

```
<a
```

```
href="http://www.tonymighty.com" class="design-name">Links</a>
```

```
</li>
```

```
<li>
```

```
<a
```

```
href="/contact_me.php" class="design-name">Contact</a>
```

```
</li>
```

```
<li><hr></li>
```

```
</nav>
```

</div>

<div

class="design-archives" id="design-archives">

<nav

role="navigation">

<ul>

<li

class="next">

</li>

<li

class="viewall">

<?php

```
$link = mysqli_connect("localhost","root","","blog_db");
```

```
// Check connection
```

```
if($link === false){
```

```
    die("ERROR: Could not connect. " . mysqli_connect_error());
```

```
}
```

```

//$search = $_POST['email'];

$search = $username;;

// Attempt select query execution
$sql = "SELECT * FROM blog_posts WHERE email = '$search' ORDER BY
id DESC ";

if($result = mysqli_query($link, $sql)){
    if(mysqli_num_rows($result) > 0){

        while($row = mysqli_fetch_array($result)){

            $un = $row['user_name'];
            $sn = $row['surname'];
            $tn = $row['town'];
            $cnt = $row['country'];
            //$from = "from ";
            $ln = "<hr>";

        }

        // Free result set
        mysqli_free_result($result);

    } else{
        //echo "No records matching your query were found.";

        $un
= "";
        $sn
= "";
        $tn
= "";
        $cnt
= "";

        $from = "";

```

\$ln

```
= "";  
    }  
} else{  
    //echo "ERROR: Could not able to execute $sql. " .  
mysql_error($link);  
}
```

```
// Close connection  
mysqli_close($link);
```

```
?>
```

```
<?php
```

echo

```
$un . " " . $sn . "<br><br>";
```

echo

```
$twn . "&nbsp;&nbsp; " . $cnt . "<br><br>";
```

echo

```
$ln;
```

```
?>
```

</li>

</ul>

</nav>

</div>

```
</aside>
```

```
</div>
```

```
</body>
```

```
</html>
```

## **update\_user\_details.php**

```
<?php
session_start();

//echo $_SESSION["user_id"];

$id = $_SESSION["user_id"];

?>

<!DOCTYPE html>
<html lang="en">
<head>
<meta
charset="utf-8">

<title>tonyalmighty.software</title>

<link
rel="stylesheet" type="text/css" href="style_.css" />
<meta
name="viewport" content="width=device-width, initial-scale=1.0">
<meta
name="author" content="Carmine Rendina">
<meta
name="description" content="Php Mysql Zend CSS-based design.">
```

```
</head>
```

```
<!--
```

```
-->
```

```
<body id="css-zen-garden">
```

```
<div class="page-wrapper">
```

```
<section class="intro" id="zen-intro">
```

```
<header  
role="banner">
```

```
href="/index.php">[ tonyalmighty.software ] </a></h1>
```

```
</header>
```

```
class="summary" id="zen-summary" role="article">
```

```
<header
```

```
<h1> <a
```

```
<div
```

```
<p>
```

```
</p>
```

```
<p>
```



```
<a href="register user.php"><b>Register</b></a> | <a href="/index.php">Home</a> | <a href="http://www.tonyalmighty.com/">Links</a> | <a href="/contact_me.php">Contact</a>
```

```
</div>
```

```
<!-- Start Paragraph -->
```

```
class="preamble" id="zen-preamble" role="article">
```

```
<div
```

```
Update User Details</h1>
```

```
<h1>
```

```
<hr>
```

```
</p>
```

```
<p>
```

```
<!------->
```

```
<?php

$link = mysqli_connect("localhost","root","","blog_db");

//$id=$_GET['id'];

$x1 = $_POST['id'];

$x16 = $_POST['user_id'];
$x0 = $_POST['pass'];
$x2 = $_POST['username'];
$x3 = $_POST['surname'];
$x4 = $_POST['telephone'];
$x5 = $_POST['mail'];
$x6 = $_POST['web'];
$x7 = $_POST['dob'];
$x8 = $_POST['address'];
$x15 = $_POST['town'];
$x9 = $_POST['postcode'];
$x10 = $_POST['country'];
$x11 = $_POST['birthplace'];
$x14 = $_POST['occupation'];
$x12 = $_POST['hobby'];
$x17 = $_POST['school'];

// Check connection
if($link === false){
    die("ERROR: Could not connect. " . mysqli_connect_error());
}

// Attempt update query execution
$sql = "UPDATE blog_posts SET user_name = '$x2', surname= '$x3',
tel= '$x4', mail= '$x5', web= '$x6', dob= '$x7', password = '$x0',
address= '$x8', town = '$x15', postcode= '$x9', country= '$x10',
birthplace= '$x11', hobby= '$x12', occupation= '$x14', school=
```

```
'$x17' WHERE id= '$x1'";

if(mysqli_query($link, $sql)){
    // echo "Records were updated successfully.";

} else {
    echo "ERROR: Could not able to execute $sql. " .
mysqli_error($link);
}

// Close connection
mysqli_close($link);

?>

<?php

echo "<b>You have updated the following values: </b>";

echo "<br><br>";

echo "<b>User Id: </b>" . $x16;

echo "<br><br>";

echo "<b>Password: </b>" . $x0;

echo "<br><br>";

echo "<b>User Name: </b>" . $x2;

echo "<br><br>";

echo "<b>Surname: </b>" . $x3;

echo "<br><br>";
```

```
echo "<b>Telephone: </b>" . $x4;

echo "<br><br>";

echo "<b>Mail: </b>" . $x5;

echo "<br><br>";

echo "<b>Website: </b>" . $x6;

echo "<br><br>";

echo "<b>DOB: </b>" . $x7;

echo "<br><br>";

echo "<b>Address: </b>" . $x8;

echo "<br><br>";

echo "<b>Town: </b>" . $x15;

echo "<br><br>";

echo "<b>Postcode: </b>" . $x9;

echo "<br><br>";

echo "<b>Country: </b>" . $x10;

echo "<br><br>";

echo "<b>Birthplace: </b>" . $x11;

echo "<br><br>";

echo "<b>Occupation: </b>" . $x14;
```

```
echo "<br><br>";
```

```
echo "<b>Education: </b>" . $x17;
```

```
echo "<br><br>";
```

```
echo "<b>Hobby: </b>" . $x12;
```

```
echo "<br><br>";
```

```
?>
```

```
<!------->
```

```
</p>
```

<hr>

</div>

</section>

<div

class="main supporting" id="zen-supporting" role="main">

<div

class="requirements" id="zen-requirements" role="article">

<br><p

role="contentinfo" align = "right" /><h2>tonyalmighty.software  
&copy; All Rights Reserved</h2></a></p><br>

</div>

</div>

<aside

class="sidebar" role="complementary">

<div

class="wrapper">

<div

class="design-selection" id="design-selection">

<h3

class="select">Select a Design:</h3>

<nav

```
role="navigation">
```

```
<ul>
```

```
<li>
```

```
action="search.php" method="POST">
```

```
<form
```

```
value = "Search"/> <input type="text" size="20" name="title"
```

```
</li><br>
```

```
<li><hr></li>
```

```
<li>
```

```
href="/index.php" class="design-name">Home</a>
```

```
<a
```

```
</li>
```

```
<li>
```

```
href="http://www.tonymighty.com" class="design-name">Links</a>
```

```
<a
```

</li>

<li>

<a

href="/contact\_me.php" class="design-name">Contact</a>

</li>

<li><hr></li>

</nav>

</div>

<div

class="design-archives" id="design-archives">

<nav

role="navigation">

<ul>

<li

class="next">



</li>

<li

class="viewall">

</li>

</ul>

</nav>

</div>

</aside>

</div>

</body>

</html>

**upload file.php**

<!-------  
REGISTER----->

```
<?php

$success=0;

define("UPLOAD_DIR", "Avatar/");

if (!empty($_FILES["myFile"])) {
    $myFile = $_FILES["myFile"];

    if ($myFile["error"] !== UPLOAD_ERR_OK) {
        echo "<p>An Error Occurred.</p>";

        echo
"<script type='text/javascript'>alert('ERROR!');</script>";

header('Location: register user.php');
    }

    // ensure a safe filename
    $name = preg_replace("/[^\A-Z0-9._-]/i", "_", $myFile["name"]);

    // don't overwrite an existing file
    $i = 0;
    $parts = pathinfo($name);
    while (file_exists(UPLOAD_DIR . $name)) {
        $i++;
        $name = $parts["filename"] . "-" . $i . "." .
    $parts["extension"];
    }

    // preserve file from temporary directory
    $success = move_uploaded_file($myFile["tmp_name"],
        UPLOAD_DIR . $name);
    if (!$success) {
        echo "<p>Unable to save file.</p>";
    }
}
```



```
<!--  
<div><input type='submit' value='Upload' class='form-submit-  
button'></span></div> -->
```

```
</div>
```

```
</td>
```

```
</div>
```

```
</form>
```

```
</td></tr>
```

```
</table>
```

```
<?php error_reporting(E_ALL ^ E_DEPRECATED); ?>
```

```
<?php require ("db.php"); ?>
```

```
<?php
```

```
error_reporting(E_ALL ^ E_DEPRECATED);
```

```
$result = mysql_query('SELECT id FROM blog_posts ORDER BY id DESC  
LIMIT 1;');
```

```
if (mysql_num_rows($result) > 0) {
```

```
    $id = mysql_fetch_row($result);
```

```
    //echo $id[0]; //Here it is what a cool trick! Silly me!
```

```
}
```

```
?>
```

```
<?php
```

```
error_reporting(E_ALL & ~E_NOTICE);
```

```
$number = $id[0];
```

```
$number++;
```

```
?>
```

```
<?php
```

```
$user = "User " . $number;
```

```
$password = "Password " . $number;
```

```
$avatar = "Avatar " . $number;
```

```
?>
```

```
<?php
```

```
error_reporting(E_ALL & ~E_NOTICE);
```

```
$pix = $avatar . "/" . $name;
```

```
$pic = $avatar . "/";
```

```
$old = "Avatar/auto_avatar.png";
```

```
$auto = $avatar . "/" . "auto_avatar.png";
```

```
?>
```

```
<script>
```

```
function check() {
```

```
    <?php mkdir($avatar); ?>
```

```
return
```

```
true;
```

```
}  
?>
```

```
</script>
```

```
<script>
```

```
function myFunction() {
```

```
    var checkBox = document.getElementById("myCheck");
```

```
    var text = document.getElementById("text");
```

```
    if (checkBox.checked == true){
```

```
document.getElementById("text").value = "<?php echo $pix; ?>" ;
```

```
    } else {
```

```
document.getElementById("text").value = "Avatar/auto_avatar.png";
```

```
    }
```

```
}
```

```
</script>
```

```
<?php
```

```
error_reporting(E_ALL & ~E_NOTICE);
```

```
$today = date('l jS \of F Y h:i:s A');
```

```
echo "
```

```
<table>
```

```
<form name='my_form' action = 'register.php' method = 'POST'
```

```
onsubmit='return check(this);'>
```

```
<tr>
```

```
<td><input type = 'hidden' name='blnk' value = 'blnk.png'  
style='width: 0' readonly /> <br></td>
```

```
<tr>
```

```
<td>
```

```
<b>User:</b></td><td><input type = 'text' name='email' value =  
'$user' style='width: 200' /> <br>
```

```
<td/>
```

```
</tr>
```

```
<tr>
```

```
<td>
```

```
<b>Password: </b></td><td><input type = 'text' name='password'  
value = '$password' style='width: 200' /> <br>
```

```
<td/>
```

```
</tr>
```

```
<!--<tr>
```

```
<td>
```

```
<b>D.O.B.:</b></td><td><input type = 'text' name = 'dob' value=  
'01-01-1980' style='width: 200' /> <br>
```

```
<td/>
```

```
</tr>-->
```

```
<tr>
```

```
<!------- AUTO AVATAR  
-----
```

----->

<td><b> Personalize: </b></td><td><input type='checkbox'  
id='myCheck' onclick='myFunction()'> <br><td/></tr>

<td><b>Avatar:</b></td><td><input type = 'text' id='text'  
name='avatar' value = 'Avatar/auto\_avatar.png' style='width: 200'  
readonly /><br><td/>

<!--

<td>

<b>Avatar:</b></td><td><input type = 'text' name = 'avatar' value=  
'\$pix' style='width: 200' readonly/> <br>

<td/>

-->

<!------- END OF AUTO AVATAR

----->

</tr>

<tr>

<td>

<!--<b>Pic:</b>--></td><td><input type = 'hidden' name = 'pic'  
value= '\$pic' style='width: 0' readonly/> <br>

<td/>

</tr>

<td>



```
<!--Post:--> </td><td><input type = 'hidden' name='post'
value='Hi, this is your first Blog, to authenticate the
registration, do not delete, please! Tony Almighty' style='width:
0' readonly / > <br>
```

```
<!--Date:--> </td><td><input type = 'hidden' name='date_posted'
value='$today' style='width: 0' readonly /> <br>
```

```
<td/>
</tr>
```

```
<!-- //////////////////////////////////// USER
PROFILE //////////////////////////////////// -->
```

```
<tr>
<td>
```

```
<b>Name:</b></td><td><input type = 'text' name = 'username' value=
'' style='width: 200' required/> <br>
```

```
<td/>
</tr>
```

```
<tr>
<td>
```

```
<b>Surname:</b></td><td><input type = 'text' name = 'surname'
value= '' style='width: 200' required/> <br>
```

```
<td/>
</tr>
```

```
<tr>
<td>
```

```
<b>Address:</b></td><td><input type = 'text' name = 'address'
value= '' style='width: 200' /> <br>
```

```
<td/>
```

```
</tr>
```

```
<tr>
```

```
<td>
```

```
<b>Town:</b></td><td><input type = 'text' name = 'town' value= ''
style='width: 200' required/> <br>
```

```
<td/>
```

```
</tr>
```

```
<tr>
```

```
<td>
```

```
<b>Postcode:</b></td><td><input type = 'text' name = 'postcode'
value= '' style='width: 200' /> <br>
```

```
<td/>
```

```
</tr>
```

```
<tr>
```

```
<td>
```

```
<b>Country:</b></td><td><input type = 'text' name = 'country'
value= '' style='width: 200' required/> <br>
```

```
<td/>
```

```
</tr>
```

```
<tr>
```

```
<td>
```

```
<b>D.O.B.:</b></td><td><input type = 'text' name = 'dob' value=  
'01-01-1980' style='width: 200' /> <br>
```

```
<td/>
```

```
</tr>
```

```
<tr>
```

```
<td>
```

```
<b>Telephone:</b></td><td><input type = 'text' name = 'tel' value=  
' ' style='width: 200' /> <br>
```

```
<td/>
```

```
</tr>
```

```
<tr>
```

```
<td>
```

```
<b>Email:</b></td><td><input type = 'text' name = 'mail' value= '  
style='width: 200' /> <br>
```

```
<td/>
```

```
</tr>
```

```
<tr>
```

```
<td>
```

```
<b>Website:</b></td><td><input type = 'text' name = 'web' value=  
' ' style='width: 200' /> <br>
```

```
<td/>
```

```
</tr>
```

```
<tr>
```

```
<td>
```

```
<b>Birthplace:</b></td><td><input type = 'text' name =  
'birthplace' value= '' style='width: 200' /> <br>
```

```
<td/>
```

```
</tr>
```

```
<tr>
```

```
<td>
```

```
<b>Occupation:</b></td><td><input type = 'text' name =  
'occupation' value= '' style='width: 200' /> <br>
```

```
<td/>
```

```
</tr>
```

```
<tr>
```

```
<td>
```

```
<b>Education:</b></td><td><input type = 'text' name = 'school'  
value= '' style='width: 200' /> <br>
```

```
<td/>
```

```
</tr>
```

```
<tr>
```

```
<td>
```

```
<b>Hobby:</b></td><td><input type = 'text' name = 'hobby' value=  
' ' style='width: 200' /> <br>
```

```
<td/>
```

```
</tr>
```

```
<tr>
```

```
<td></td>
```

```
<!-- <td align='left'><input type='submit' value='Register' /><td/> -->
```

```
<td>
```

```
<div class='field-group'>
```

```
<div><input type='submit' name='register' value='Create' class='form-submit-button' /></span></div>
```

```
</div>
```

```
</td>
```

```
</tr>
```

```
</form>
```

```
</table>
```

```
<!--<p align='right'><b>Create User Profile (Optional)</b></p>-->
```

```
";
```

```
?>
```

```
<!--  
Profile
```

```
-->
```

```
</div>
```

```
<?php
```

```
/*
```

```
error_reporting(E_ALL & ~E_NOTICE);
```

```
echo "
```

```
<table>
```

```
<form name='my_form2' action = 'create_profile.php' method =  
'POST' >
```

```
<tr>
```

```
<td>
```

```
<b>User:</b></td><td><input type = 'text' name='email' value =  
'$user' style='width: 200' /> <br>
```

```
<td/>
```

```
</tr>
```

```
<tr>
```

```
<td>
```

```
<b>Name:</b></td><td><input type = 'text' name = 'username' value=  
' ' style='width: 200' /> <br>
```

```
<td/>
```

```
</tr>
```

```
<tr>
```

```
<td>
```

```
<b>Surname:</b></td><td><input type = 'text' name = 'surname'  
value= ' ' style='width: 200' /> <br>
```

```
<td/>
</tr>
```

```
<tr>
<td>
```

```
<b>Address:</b></td><td><input type = 'text' name = 'address'
value= '' style='width: 200' /> <br>
```

```
<td/>
</tr>
```

```
<tr>
<td>
```

```
<b>Town:</b></td><td><input type = 'text' name = 'town' value= ''
style='width: 200' /> <br>
```

```
<td/>
</tr>
```

```
<tr>
<td>
```

```
<b>Postcode:</b></td><td><input type = 'text' name = 'postcode'
value= '' style='width: 200' /> <br>
```

```
<td/>
</tr>
```

```
<tr>
```

```
<td>
```

```
<b>Country:</b></td><td><input type = 'text' name = 'country'  
value= '' style='width: 200' /> <br>
```

```
<td/>
```

```
</tr>
```

```
<tr>
```

```
<td>
```

```
<b>D.O.B.:</b></td><td><input type = 'text' name = 'dob' value=  
'01-01-1980' style='width: 200' /> <br>
```

```
<td/>
```

```
</tr>
```

```
<tr>
```

```
<td>
```

```
<b>Telephone:</b></td><td><input type = 'text' name = 'tel' value=  
' ' style='width: 200' /> <br>
```

```
<td/>
```

```
</tr>
```

```
<tr>
```

```
<td>
```

```
<b>Email:</b></td><td><input type = 'text' name = 'mail' value= ''  
style='width: 200' /> <br>
```

```
<td/>
```

```
</tr>
```



```
<tr>
```

```
<td>
```

```
<b>Website:</b></td><td><input type = 'text' name = 'web' value=  
' ' style='width: 200' /> <br>
```

```
<td/>
```

```
</tr>
```

```
<tr>
```

```
<td>
```

```
<b>Birthplace:</b></td><td><input type = 'text' name =  
'birthplace' value= ' ' style='width: 200' /> <br>
```

```
<td/>
```

```
</tr>
```

```
<tr>
```

```
<td>
```

```
<b>Hobby:</b></td><td><input type = 'text' name = 'hobby' value=  
' ' style='width: 200' /> <br>
```

```
<td/>
```

```
</tr>
```

```
<tr>
```

```
<td>
```

```
<div class='field-group'>
```

```
<div><input type='submit' name='register' value='Create'  
class='form-submit-button' /></span></div>
```

```
</div>
```

```
</td>
```

```
</tr>
```

```
</form>
```

```
</table>
```

```
</div>
```

```
<p align='right'><b><a href='index.php'>Back to main</a></b></p>
```

```
<hr>
```

```
";
```

```
*/
```

```
?>
```

```
<!--
```

```
-->
```

```
<!-- <p><b><a href="terms-and-conditions.php"> Terms And Coditions  
</a></b></p> -->
```

```
<?php
```

```
error_reporting(E_ERROR);
```

```
(copy("Avatar/" . $name,$pix)) {
```

```
    unlink("Avatar/" . $name);
```

```
}
```

```
?>
```

```
if
```

**upload.php**

```
<CTYPE html>
<html lang="en">
<head>
                                                                    <meta
charset="utf-8">

<title>tonyalmighty.software</title>

                                                                    <link
rel="stylesheet" type="text/css" href="style_.css" />
                                                                    <meta
name="viewport" content="width=device-width, initial-scale=1.0">
                                                                    <meta
name="author" content="Carmine Rendina">
                                                                    <meta
name="description" content="Php Mysl Zend CSS-based design.">

</head>

<!--

-->

<body id="css-zen-garden">

<div class="page-wrapper">

<section class="intro" id="zen-intro">

                                                                    <header
role="banner">

                                                                    <h1> <a
href="/index.php">[ tonyalmighty.software ] </a></h1>
```

</header>

class="summary" id="zen-summary" role="article">

<div

<p>

</p>

<p>

<a href="register user.php"><b>Register</b></a> | <a href="/index.php">Home</a> | <a href="http://www.tonyalmighty.com/">Links</a> | <a href="/contact\_me.php">Contact</a>

</div>

<!-- Start Paragraph -->

class="preamble" id="zen-preamble" role="article">

<div

Video Upload</h1>

<h1>

<hr>

</p>

<p>

```
<!-------  
----->
```

```
<?php
```

```
session_start();  
echo "<h1>" . $_SESSION["u_n"] . "</h1> " ;
```

```
$var = $_SESSION["u_n"];  
?>
```

```
<link rel="stylesheet" type="text/css" href="style.css" />
```

```
<!-------  
----->
```

```
<?php
```

```
error_reporting(E_ALL & ~E_NOTICE);
```

```
if (file_exists("files/" . $_FILES["file"]["name"]))
```

```
{
echo $_FILES["file"]["name"] . " already exists. ";
}
else
{
move_uploaded_file($_FILES["file"]["tmp_name"],"files/" .
$_FILES["file"]["name"]);
echo "<h2>Stored in: " . "files/" . $_FILES["file"]["name"] .
"</h2>";

$file_pth = "http://" . $_SERVER['HTTP_HOST'] . "/files/" .
$_FILES["file"]["name"];

$link = mysqli_connect('localhost','root','','blog_db');

// Check connection

if($link === false){

    die("ERROR: Could not connect. " . mysqli_connect_error());

}

// Escape user inputs for security

$id = mysqli_real_escape_string($link, $_REQUEST['id']);

$title = mysqli_real_escape_string($link, $_REQUEST['title']);

$url = mysqli_real_escape_string($link,$file_pth);

// attempt insert query execution

$sql = "INSERT INTO videos (id,title,url,user_id) VALUES
('$id','$title','$url','$var)";

if(mysqli_query($link, $sql)){
```

```
echo "<br />Records added successfully.<br /><br />";
```

echo

```
"<a href='index.php?id=$id'>Back</a>";
```

```
} else{
```

```
    echo "ERROR: Could not able to execute $sql. " .  
mysql_error($link);  
}
```

```
// close connection
```

```
mysqli_close($link);
```

```
}  
?>
```

```
<!-------  
----->
```

</p>

<hr>

</div>

</section>

```
class="main supporting" id="zen-supporting" role="main"> <div>

class="requirements" id="zen-requirements" role="article"> <div>

role="contentinfo" align = "right" /><h2>tonyalmighty.software <br><p>
&copy All Rights Reserved</h2></a></p><br>

</div>

</div>

class="sidebar" role="complementary"> <aside>

class="wrapper"> <div>

class="design-selection" id="design-selection"> <div>

class="select">Select a Design:</h3> <h3>

role="navigation"> <nav>

<ul>

<li>
```



<form

action="search.php" method="POST">

<input type="text" size="20" name="title"  
value = "Search"/>

</li><br>

<li><hr></li>

<li>

<a

href="/index.php" class="design-name">Home</a>

</li>

<li>

<a

href="http://www.tonyalmighty.com" class="design-name">Links</a>

</li>

<li>

<a

href="/contact\_me.php" class="design-name">Contact</a>

</li>

<li><hr></li>

</nav>

</div>

class="design-archives" id="design-archives">

<div

role="navigation">

<nav

<ul>

class="next">

<li

</li>

class="viewall">

<li

```
</li>
```

```
</ul>
```

```
</nav>
```

```
</div>
```

```
</aside>
```

```
</div>
```

```
</body>
```

```
</html>
```

## **upload-video.php**

```
<?php error_reporting(0); ?>
```

```
<?php
```

```
$link = mysqli_connect("localhost","root","","blog_db");
```

```
// Check connection
```

```
if($link === false){
```

```
    die("ERROR: Could not connect. " . mysqli_connect_error());
```

```
}
```

```

// Attempt select query execution
$sql = "SELECT * FROM videos order by id desc limit 1";
if($result = mysqli_query($link, $sql)){
    if(mysqli_num_rows($result) > 0){
        //echo "<table border = '0'>";
        //echo "<tr>";

        //echo "<th>id</th>";
        //echo "<th>title</th>";
        //echo "<th>url</th>";

        //echo "<th>album_name</th>";
        //echo "<th>album_url</th>";
        //echo "<th>album_pix</th>";

        //echo "</tr>";
        while($row = mysqli_fetch_array($result)){
            //echo "<tr>";

            //echo "<td>" . "<b>Id: </b>" . $row['id'] .
"</td>";
            //echo "<td>" . "<b>Title: </b>". $row['title'] .
"</td>";
            //echo "<td>" . "<b>Url: </b>" . $row['url'] .
"</td>";

            //echo "<td>" . $row['album_name'] . "</td>";
            //echo "<td>" . $row['album_url'] . "</td>";
            //echo "<td>" . $row['album_pix'] . "</td>";

            $video_id = $row['id'];

            //echo "</tr>";
        }
    }
}

```

```
        //echo "</table>";
        // Free result set
        mysqli_free_result($result);
    } else{
        echo "No records matching your query were found.";
    }
} else{
    //echo "ERROR: Could not able to execute $sql. " .
mysqli_error($link);
}

// Close connection
mysqli_close($link);
?>
```

<?php

```
session_start();
//echo $_SESSION["u_n"] . " " ;

$var = $_SESSION["u_n"];
?>
```

```
<!DOCTYPE html>
<html lang="en">
<head>
```

```
charset="utf-8">
```

```
<title>tonyalmighty.software</title>
```

```
rel="stylesheet" type="text/css" href="style_.css" />
```

```
name="viewport" content="width=device-width, initial-scale=1.0">
```

```
name="author" content="Carmine Rendina"> <meta
name="description" content="Php Mysql Zend CSS-based design."> <meta
```

```
</head>
```

```
<!--
```

```
-->
```

```
<body id="css-zen-garden">
```

```
<div class="page-wrapper">
```

```
<section class="intro" id="zen-intro">
```

```
role="banner">
```

```
href="/index.php">[ tonyalmighty.software ] </a></h1>
```

```
</header>
```

```
class="summary" id="zen-summary" role="article">
```

```
<p>
```

```
</p>
```

<p>

<a href="register user.php"><b>Register</b></a> | <a href="/index.php">Home</a> | <a href="http://www.tonyalmighty.com/">Links</a> | <a href="/contact\_me.php">Contact</a>

</div>

<!-- Start Paragraph -->

class="preamble" id="zen-preamble" role="article">

<div

Upload Video</h1>

<h1>

<hr>

</p>

<p>

```
<!------->
```

```
<div class="block-divider"></div>
```

```
<form id="form" action="upload.php" method="post"
enctype="multipart/form-data">
```

```
type="file" name="file" id="file" size="20" /><br /> <input
```

```
php <?>
```

```
($video_id == null){ if
```

```
$video_id = 1;
```

```
}
```

```
?>
```

```
<label class="name"><input type="hidden" placeholder="Place a
Video Id:" id="name" name="id" value = "<?php echo $video_id +
1; ?>" readonly style=Color:#566573; /><br /><br />
```

```
</label>
```

```
<label class="email">
```



```
<input type="text" placeholder="Place the Video Title:"  
id="title" name="title" /><br /><br />
```

```
</label>
```

```
<?php
```

```
error_reporting(E_ALL & ~E_NOTICE);
```

```
if (file_exists("files/" . $_FILES["file"]["name"]))
```

```
{
```

```
//echo $_FILES["file"]["name"] . " already exists. ";
```

```
}
```

```
else
```

```
{
```

```
move_uploaded_file($_FILES["file"]["tmp_name"], "files/" .  
$_FILES["file"]["name"]);
```

```
echo "<h2>Stored in: " . "files/" . $_FILES["file"]["name"] .  
</h2>";
```

```
// $store_tube = "tracks/" . $_FILES["file"]["name"];
```

```
$file_pth = "http://" . $_SERVER['HTTP_HOST'] . "/files/" .  
$_FILES["file"]["name"];
```

```
$link = mysqli_connect('localhost', 'root', '', 'blog_db');
```

```
// Check connection
```

```
if($link === false){
```

```
    die("ERROR: Could not connect. " . mysqli_connect_error());
```

```
}
```

```
// Escape user inputs for security
```

```
$id = mysqli_real_escape_string($link, $_REQUEST['id']);
```

```
$title = mysqli_real_escape_string($link, $_REQUEST['title']);
```

```
$url = mysqli_real_escape_string($link,$file_ptth);
```

```
// attempt insert query execution
```

```
$sql = "INSERT INTO videos (id,title,url,user_id) VALUES ('$id','$title','$url','$var')";
```

```
if(mysqli_query($link, $sql)){
```

```
    echo "<h2> Records added successfully.</h2>";
```

```
} else{
```

```
    //echo "ERROR: Could not able to execute $sql. " .  
mysqli_error($link);
```

```
}
```

```
// close connection
```

```
mysqli_close($link);
```

```
}
```

```
?>
```

```
<br /><a href="javascript:{}"  
onclick="document.getElementById('form').submit(); return false;"  
class="link1"><h2>Upload Video</a>
```

```
href="delete-video.php">Delete Video</a></h2>
```

```
</form>
```

| <a

```
<!------->
```

```
</p>
```

```
<hr>
```

```
</div>
```

```
</section>
```

```
class="main supporting" id="zen-supporting" role="main">
```

```
class="requirements" id="zen-requirements" role="article">
```

```
role="contentinfo" align = "right" /><h2>tonyalmighty.software  
&copy All Rights Reserved</h2></a></p><br>
```

```
<br><p  
</div>
```

```
</div>
```

```
class="sidebar" role="complementary">
```

```
<aside
```

```
class="wrapper">
```

```
<div
```

```
class="design-selection" id="design-selection">
```

```
<div
```

```
class="select">Select a Design:</h3>
```

```
<h3
```

```
role="navigation">
```

```
<nav
```

```
<ul>
```

```
<li>
```

```
action="search.php" method="POST">
```

```
<form
```

```
value = "Search"/> <input type="text" size="20" name="title"
```

</li><br>

<li><hr></li>

<li>

<a

href="/index.php" class="design-name">Home</a>

</li>

<li>

<a

href="http://www.tonymighty.com" class="design-name">Links</a>

</li>

<li>

<a

href="/contact\_me.php" class="design-name">Contact</a>

</li>

<li><hr></li>

</nav>

</div>

class="design-archives" id="design-archives">

<div

role="navigation">

<nav

<ul>

class="next">

<li

</li>

class="viewall">

<li

</li>

```
</ul>
```

```
</nav>
```

```
</div>
```

```
</aside>
```

```
</div>
```

```
</body>
```

```
</html>
```

## **user\_details.php**

```
<?php
```

```
session_start();
```

```
//echo $_SESSION["user_id"];
```

```
$id = $_SESSION["user_id"];
```

```
?>
```

```
<!DOCTYPE html>
```

```
<html lang="en">
```

```
<head>
```

```
charset="utf-8">
```

```
<meta
```

```
<title>tonyalmighty.software</title>
```

```
rel="stylesheet" type="text/css" href="style_.css" /> <link
name="viewport" content="width=device-width, initial-scale=1.0"> <meta
name="author" content="Carmine Rendina"> <meta
name="description" content="Php Mysql Zend CSS-based design."> <meta

</head>

<!--

-->

<body id="css-zen-garden">

<div class="page-wrapper">

<section class="intro" id="zen-intro">

role="banner"> <header
href="/index.php">[ tonyalmighty.software ] </a></h1> <h1> <a

</header>

class="summary" id="zen-summary" role="article"> <div
<p> <p>
```



</p>

<p>

<a href="register user.php"><b>Register</b></a> | <a href="/index.php">Home</a> | <a href="http://www.tonyalmighty.com/">Links</a> | <a href="/contact\_me.php">Contact</a>

</div>

<!-- Start Paragraph -->

<div class="preamble" id="zen-preamble" role="article">

<h1>User Details</h1>

<hr>

</p>

<p>

```
<!------->
```

```
<script type="text/JavaScript">
```

```
function valid(f) {  
f.value = f.value.replace(/[\']/g, ' ')  
}
```

```
</script>
```

```
<?php
```

```
//$id=$_GET['id'];
```

```
$today = date('l jS \of F Y h:i:s A');
```

```
$link = mysqli_connect("localhost","root","","blog_db");
```

```
// Check connection
```

```
if($link === false){
```

```
    die("ERROR: Could not connect. " . mysqli_connect_error());
```

```
}
```

```
//$id=$_GET['un'];
```

```
// Attempt select query execution
```

```
$sql = "SELECT * FROM blog_posts WHERE id like $id";
```

```

if($result = mysqli_query($link, $sql)){
    if(mysqli_num_rows($result) > 0){
        echo "<table border = '0'>";
        echo "<tr>";

        echo "</tr>";
        while($row = mysqli_fetch_array($result)){

            //echo "<tr>";

            echo
            "<tr class='hoverTable'>";

            echo "<form action = 'update_user_details.php'
method = 'POST'>";

            echo "<td width = '0px'><b><p class='wb-stl-
normal'>";

            //
            echo "<tr><td width = '300px'><p class='wb-stl-normal'><b>" .
            $row['email'] . "</b></td></tr>";

            $id

            =$row['id'];

            $user_id = $row['email'];

            $pass =
            $row['password'];

            $user_name = $row['user_name'];

```

```
$surname = $row['surname'];
```

```
$row['dob'];
```

```
$dob =
```

```
$row['tel'];
```

```
$tel =
```

```
$row['mail'];
```

```
$mail =
```

```
$row['web'];
```

```
$web =
```

```
$address = $row['address'];
```

```
$row['town'];
```

```
$town =
```

```
$postcode = $row['postcode'];
```

```
$country = $row['country'];
```

```
$birthplace = $row['birthplace'];
```

```
$occupation = $row['occupation'];
```

```
= $row['school'];
```

```
$school
```

\$hobby

```
= $row['hobby'];
```

```
echo "<!--<tr><td>Id:--> <input type = 'hidden' name='id'
style='width: 300' value = '$id' readonly /><!--</td></tr>-->";
```

```
echo "<tr><td><b>User Id: </b></td><td><input type = 'text'
name='user_id' style='width: 300' value = '$user_id' readonly/
></td></tr>";
```

```
echo "<tr><td><b>Password: </b></td><td><input type = 'text'
name='pass' style='width: 300' value = '$pass' / ></td></tr>";
```

```
echo "<tr><td><b>Name: </b></td><td><input type = 'text'
name='username' style='width: 300' value = '$user_name' /
></td></tr>";
```

```
echo "<tr><td><b>Surname: </b></td><td><input type = 'text'
name='surname' style='width: 300' value = '$surname' /
></td></tr>";
```

```
echo "<tr><td><b>D.O.B.: </b></td><td><input type = 'text'
name='dob' style='width: 300' value = '$dob' / ></td></tr>";
```

```
echo "<tr><td><b>Telephone: </b></td><td><input type = 'text'
name='telephone' style='width: 300' value = '$tel' / ></td></tr>";
```

```
echo "<tr><td><b>Email: </b></td><td><input type = 'text'
name='mail' style='width: 300' value = '$mail' / ></td></tr>";
```

```
echo "<tr><td><b>Website: </b></td><td><input type = 'text'
name='web' style='width: 300' value = '$web' / ></td></tr>";
```

```

echo "<tr><td><b>Address: </b></td><td><input type = 'text'
name='address' style='width: 300' value = '$address' /
></td></tr>";

echo "<tr><td><b>Town: </b></td><td><input type = 'text'
name='town' style='width: 300' value = '$town' / ></td></tr>";

echo "<tr><td><b>Postcode: </b></td><td><input type = 'text'
name='postcode' style='width: 300' value = '$postcode' /
></td></tr>";

echo "<tr><td><b>Country: </b></td><td><input type = 'text'
name='country' style='width: 300' value = '$country' /
></td></tr>";

echo "<tr><td><b>Birthplace: </b></td><td><input type = 'text'
name='birthplace' style='width: 300' value = '$birthplace' /
></td></tr>";

echo "<tr><td><b>Occupation: </b></td><td><input type = 'text'
name='occupation' style='width: 300' value = '$occupation' /
></td></tr>";

echo "<tr><td><b>Education: </b></td><td><input type = 'text'
name='school' style='width: 300' value = '$school' / ></td></tr>";

echo "<tr><td><b>Hobby: </b></td><td><input type = 'text'
name='hobby' style='width: 300' value = '$hobby' / ></td></tr>";
    }
    echo "</table><br>";

    // Free result set
    mysqli_free_result($result);

} else{
    echo "No records matching your query were found.";
}
} else{

```

```
        echo "ERROR: Could not able to execute $sql. " .
mysqli_error($link);
    }

    // Close connection

mysqli_close($link);

?>

<?php

//echo "<input type='submit' value='Update record' /></form>";

echo "<div class='field-group'>

<div><input type='submit' name='edit' value='Update' class='form-
submit-button'></div>

                                </div>

                                ";

?>

<!------->

<script>
```

```
function myFunction() {

    var txt;
    var r = confirm("Delete User Account?.\nWarning! All data will
be destroyed!");
    if (r == true) {

        window.location.href = "delete_user.php";

    } else {

        return false;
        window.location.href = "index.php";

    }

}

</script>
```

```
<!------->
```

</p>



<hr>

</div>

</section>

<div

class="main supporting" id="zen-supporting" role="main">

<div

class="requirements" id="zen-requirements" role="article">

<br><p

role="contentinfo" align = "right" /><h2>tonyalmighty.software  
&copy; All Rights Reserved</h2></a></p><br>

</div>

</div>

<aside

class="sidebar" role="complementary">

<div

class="wrapper">

<div

class="design-selection" id="design-selection">

<h3

class="select">Select a Design:</h3>

<nav

role="navigation">

```
<ul>
```

```
<li>
```

```
<form
```

```
action="search.php" method="POST">
```

```
value = "Search"/> <input type="text" size="20" name="title"
```

```
</li><br>
```

```
<li><hr></li>
```

```
<li>
```

```
<a
```

```
href="/index.php" class="design-name">Home</a>
```

```
</li>
```

```
<li>
```

```
<a
```

```
href="http://www.tonymighty.com" class="design-name">Links</a>
```

</li>

<li>

<a

href="/contact\_me.php" class="design-name">Contact</a>

</li>

<li><hr></li>

</li>

<li>

<a

onclick="myFunction()" class="design-name"  
onMouseOver="this.style.cursor='pointer'">Delete User</a>

</li>

<li><hr></li>

</nav>

</div>

```
class="design-archives" id="design-archives">
```

```
<div
```

```
role="navigation">
```

```
<nav
```

```
<ul>
```

```
class="next">
```

```
<li
```

```
</li>
```

```
class="viewall">
```

```
<li
```

```
</li>
```

```
</ul>
```

```
</nav>
```

</div>

</aside>

</div>

</body>

</html>

## **user\_info.php**

```
<?php
session_start();

//echo $_SESSION["user_id"];

//$id = $_SESSION["user_id"];

?>

<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="utf-8">
  <title>tonyalmighty.software</title>

  <link rel="stylesheet" type="text/css" href="style_.css" />
  <meta name="viewport" content="width=device-width, initial-
scale=1.0">
  <meta name="author" content="Carmine Rendina">
  <meta name="description" content="Php Mysql Zend CSS-based
design.">
</head>

<!--

-->

<body id="css-zen-garden">
```

```
<div class="page-wrapper">

  <section class="intro" id="zen-intro">
    <header role="banner">
      <h1> <a href="/index.php">[ tonyalmighty.software ]
</a></h1>

    </header>

    <div class="summary" id="zen-summary" role="article">
      <p>

        </p>

      <p>

        <a href="register_user.php"><b>Register</b></a> | <a
href="/index.php">Home</a> | <a
href="http://www.tonyalmighty.com/">Links</a> | <a
href="/contact_me.php">Contact</a>

      </div>

<!--          Start Paragraph          -->

  <div class="preamble" id="zen-preamble" role="article">

    <h1> User Details</h1>

    <hr>

    </p>

    <p>

<!------->
----->

<?php

$link = mysqli_connect("localhost","root","","blog_db");
```

```

// Check connection
if($link === false){
    die("ERROR: Could not connect. " . mysqli_connect_error());
}

error_reporting(E_ALL & ~E_NOTICE);

$id=$_GET['ui'];

// Attempt select query execution
$sql = "SELECT * FROM blog_posts WHERE email = '$id' LIMIT 1";

if($result = mysqli_query($link, $sql)){
    if(mysqli_num_rows($result) > 0){
        echo "<table border = '0'>";
        echo "<tr>";

            //echo "<th>id</th>";
            //echo "<th>title</th>";
            //echo "<th>url</th>";

        echo "</tr>";
        while($row = mysqli_fetch_array($result)){

            //echo "<tr>";
            echo "<tr class='hoverTable'>";

                echo "<b>User Id:</b> " . $row['email'] .
"<br><br>";
                echo "<b>Password:</b> " . "*****" . "<br><br>";
                echo "<b>Name:</b> " . $row['user_name'] .
"<br><br>";
                echo "<b>Surname:</b> " . $row['surname'] .
"<br><br>";
                echo "<b>DOB:</b> " . $row['dob'] . "<br><br>";
                echo "<b>Telephone:</b> " . $row['tel'] .
"<br><br>";
                echo "<b>E-Mail: </b> ";
                echo "<a href='contact_me.php'>" . $row['mail'] .
"</a><br><br>";
                echo "<b>Website: </b> ";
                echo "<a href='http://'" . $row['web'] . "'>" .
$row['web'] . "</a><br><br>";

                echo "<b>Address: </b> " . $row['address'] .
"<br><br>";
                echo "<b>Town:</b> " . $row['town'] . "<br><br>";
                echo "<b>Postcode:</b> " . $row['postcode'] .
"<br><br>";
                echo "<b>Country:</b> " . $row['country'] .

```

```

"<br><br>";
        echo "<b>Birthplace:</b> " . $row['birthplace'] .
"<br><br>";
        echo "<b>Occupation:</b> " . $row['occupation'] .
"<br><br>";
        echo "<b>Education:</b> " . $row['school'] .
"<br><br>";
        echo "<b>Hobby:</b> " . $row['hobby'] . "<br><br>";

        echo "</tr>";
    }
    echo "</table>";

    // Free result set
    mysqli_free_result($result);

} else{
    echo "No records matching your query were found.";
}
} else{
    echo "ERROR: Could not able to execute $sql. " .
mysqli_error($link);
}

// Close connection
mysqli_close($link);

?>

```

```

<!------->
----->

```

```

</p>

```

```

<hr>

```

```

</div>
</section>

```

```

<div class="main supporting" id="zen-supporting" role="main">

```

```

    <div class="requirements" id="zen-requirements"
role="article">

```



```
        <br><p role="contentinfo" align = "right"
/><h2>tonyalmighty.software &copy All Rights
Reserved</h2></a></p><br>
    </div>
```

```
</div>
```

```
<aside class="sidebar" role="complementary">
    <div class="wrapper">
```

```
        <div class="design-selection" id="design-selection">
```

```
            <h3 class="select">Select a Design:</h3>
```

```
            <nav role="navigation">
```

```
                <ul>
```

```
                    <li>
```

```
                        <form action="search.php" method="POST">
```

```
                            <input type="text" size="20" name="title"
```

```
value = "Search"/>
```

```
                        </li><br>
```

```
                    <li><hr></li>
```

```
                    <li>
```

```
                        <a href="/index.php" class="design-
name">Home</a>
```

```
                    </li>
```

```
                <li>
```

```
                    <a href="http://www.tonyalmighty.com"
class="design-name">Links</a>
```

```
                </li>
```

```
                <li>
```

```
                    <a href="/contact_me.php" class="design-
name">Contact</a>
```

```
                </li>
```

```
                <li><hr></li>
```

```
            </nav>
```

```
        </div>
```

```
    <div class="design-archives" id="design-archives">
```

```
        <nav role="navigation">
```

```
            <ul>
```

```
                <li class="next">
```

```
            </li>
```

```
                <li class="viewall">
```

```
                </li>
            </ul>
        </nav>
    </div>
```

```
</aside>
```

```
</div>
```

```
</body>
```

```
</html>
```

## **user\_pix.php**

```
<?php
```

```
$link = mysqli_connect("localhost","root","","blog_db");
```

```
// Check connection
```

```
if($link === false){
```

```
    die("ERROR: Could not connect. " . mysqli_connect_error());
```

```
}
```

```
error_reporting(E_ALL & ~E_NOTICE);
```

```
$id=$_GET['upix'];
```

```
// Attempt select query execution
```

```
$sql = "SELECT * FROM blog_posts WHERE email = '$id' LIMIT 1";
```

```
if($result = mysqli_query($link, $sql)){
```

```
    if(mysqli_num_rows($result) > 0){
```

```
        echo "<table border = '0'>";
```

```
        echo "<tr>";
```

```
        echo "</tr>";
```

```
        while($row = mysqli_fetch_array($result)){
```

```
            echo "<tr class='hoverTable'>";
```

```
                //echo "<b>User Id:</b> " . $row['image'] .
```

```
"<br><br>";
```

```
                $user_pix = $row['image'];
```

```
            echo "</tr>";
```

```

    }
    echo "</table>";

    // Free result set
    mysqli_free_result($result);

    } else{
        echo "No records matching your query were found.";
    }
} else{
    echo "ERROR: Could not able to execute $sql. " .
mysqli_error($link);
}

// Close connection
mysqli_close($link);

?>

<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="utf-8">
    <title>tonyalmighty.software</title>

    <link rel="stylesheet" type="text/css" href="style_.css" />
    <meta name="viewport" content="width=device-width, initial-
scale=1.0">
    <meta name="author" content="Carmine Rendina">
    <meta name="description" content="Php Mysql Zend CSS-based
design.">

</head>

<!--

-->

<body id="css-zen-garden">

<div class="page-wrapper">

    <section class="intro" id="zen-intro">
        <header role="banner">
            <h1> <a href="/index.php">[ tonyalmighty.software ]
</a></h1>

        </header>

```

```
<div class="summary" id="zen-summary" role="article">
  <p>
```

```
</p>
```

```
<p>
```

```
  <a href="register user.php"><b>Register</b></a> | <a
href="/index.php">Home</a> | <a
href="http://www.tonyalmighty.com/">Links</a> | <a
href="/contact_me.php">Contact</a>
```

```
</div>
```

```
<!--          Start Paragraph          -->
```

```
<div class="preamble" id="zen-preamble" role="article">
```

```
<?php $pix = $_GET['upix']; ?>
```

```
  <h1><?php echo " " . $pix; ?> Pictures</h1>
```

```
  <hr>
```

```
  </p>
```

```
  <p>
```

```
<!------- GET IMAGES LOOP
(COOL ONE) ----->
```

```
<?php
```

```
//error_reporting(E_ALL ^ E_STRICT);
```

```
error_reporting(0);
```

```
$img = $user_pix;
```

```
echo scanDirectoryImages($img);
```

```
function scanDirectoryImages($directory, array $exts =
array('jpeg', 'jpg', 'gif', 'png'))
{
```

```

if (substr($directory, -1) == '/') {
    $directory = substr($directory, 0, -1);
}
$html = '';
if (
    is_readable($directory)
    && (file_exists($directory) || is_dir($directory))
) {
    $directoryList = opendir($directory);
    while($file = readdir($directoryList)) {
        if ($file != '.' && $file != '..') {
            $path = $directory . '/' . $file;
            if (is_readable($path)) {
                if (is_dir($path)) {
                    return scanDirectoryImages($path, $exts);
                }
                if (
                    is_file($path)
                    && in_array(end(explode('.', end(explode('/', $path)))), $exts)
                ) {
                    $html .= '<a href="' . $path . '"> </a>';
                }
            }
        }
    }
    closedir($directoryList);
}
return $html;
}

?>

```

```

<!------->
----->

```

</p>

<hr>

```
</div>
</section>
```

```
<div class="main supporting" id="zen-supporting" role="main">
```

```
<div class="requirements" id="zen-requirements"
role="article">
```

```
<br><p role="contentinfo" align = "right"
/><h2>tonyalmighty.software &copy; All Rights
Reserved</h2></a></p><br>
</div>
```

```
</div>
```

```
<aside class="sidebar" role="complementary">
```

```
<div class="wrapper">
```

```
<div class="design-selection" id="design-selection">
```

```
<h3 class="select">Select a Design:</h3>
```

```
<nav role="navigation">
```

```
<ul>
```

```
<li>
```

```
<form action="search.php" method="POST">
```

```
<input type="text" size="20" name="title"
value = "Search"/>
```

```
</li><br>
```

```
<li><hr></li>
```

```
<li>
```

```
<a href="/index.php" class="design-
name">Home</a>
```

```
</li>
```

```
<li>
```

```
<a href="http://www.tonyalmighty.com"
class="design-name">Links</a>
```

```
</li>
```

```
<li>
```

```
<a href="/contact_me.php" class="design-
name">Contact</a>
```

```
</li>
```

```
<li><hr></li>
```

```
</nav>
```

```
</div>
```

```
<div class="design-archives" id="design-archives">
```

```
<nav role="navigation">
```

```
        <ul>
            <li class="next">

                </li>
            <li class="viewall">

                </li>
        </ul>
    </nav>
</div>
```

```
</aside>
```

```
</div>
```

```
</body>
```

```
</html>
```

## **user\_videos.php**

```
<?php
```

```
$link = mysqli_connect("localhost","root","","blog_db");
```

```
// Check connection
```

```
if($link === false){
```

```
    die("ERROR: Could not connect. " . mysqli_connect_error());
```

```
}
```

```
error_reporting(E_ALL & ~E_NOTICE);
```

```
$id=$_GET['uvid'];
```

```
// Attempt select query execution
```

```
$sql = "SELECT * FROM blog_posts WHERE email = '$id' LIMIT 1";
```

```
if($result = mysqli_query($link, $sql)){
```

```
    if(mysqli_num_rows($result) > 0){
```

```
        echo "<table border = '0'>";
```

```
        echo "<tr>";
```

```
        echo "</tr>";
```

```
        while($row = mysqli_fetch_array($result)){
```

```

        echo "<tr class='hoverTable'>";

        // echo "<b>User Id:</b> " . $row['email'] .
"<br><br>";

        $user_vd = $row['email'];

        echo "</tr>";
    }
    echo "</table>";

    // Free result set
    mysqli_free_result($result);

    } else{
        echo "No records matching your query were found.";
    }
} else{
    echo "ERROR: Could not able to execute $sql. " .
mysqli_error($link);
}

// Close connection
//mysqli_close($link);

?>

<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="utf-8">
    <title>tonyalmighty.software</title>

    <link rel="stylesheet" type="text/css" href="style_.css" />
    <meta name="viewport" content="width=device-width, initial-
scale=1.0">
    <meta name="author" content="Carmine Rendina">
    <meta name="description" content="Php Mysql Zend CSS-based
design.">

</head>

<!--

-->

<body id="css-zen-garden">

```



```
<div class="page-wrapper">

  <section class="intro" id="zen-intro">
    <header role="banner">
      <h1> <a href="/index.php">[ tonyalmighty.software ]
</a></h1>

    </header>

    <div class="summary" id="zen-summary" role="article">
      <p>

        </p>

      <p>

        <a href="register_user.php"><b>Register</b></a> | <a
href="/index.php">Home</a> | <a
href="http://www.tonyalmighty.com/">Links</a> | <a
href="/contact_me.php">Contact</a>

      </div>
```

```
<!--          Start Paragraph          -->

<div class="preamble" id="zen-preamble" role="article">

<h1> <?php
  echo $user_vd;
  echo " ";
?>
  <a href="videolist.php">Video Playlist </a></h1>

  <hr>

  <p>
```

```
<!------- User Videos ----->

<?php

$link = mysqli_connect("localhost","root","","blog_db");

// Check connection
if($link === false){
  die("ERROR: Could not connect. " . mysqli_connect_error());
```

```

}

error_reporting(E_ALL & ~E_NOTICE);

$search = $user_vd;

// Attempt select query execution
$sql = "SELECT * FROM videos WHERE user_id = '$search'";

if($result = mysqli_query($link, $sql)){
    if(mysqli_num_rows($result) > 0){
        echo "<table border = '0'>";

        //echo "<tr>";

        //echo "<th>id</th>";
        //echo "<th>title</th>";
        //echo "<th>url</th>";

        //echo "</tr>";
        while($row = mysqli_fetch_array($result)){

            //echo "<tr>";
            echo "<tr class='hoverTable'>";

                echo "<td width = '400px'><p class='wb-stl-
normal'>" . "Video Id: " . $row['id'] . "</td>";

                echo "<td width = '400px'>" . "Title: " . "<a
href=play.php?track_id='" . $row['id'] . "'>" . $row['title'] .
"</a></td>";

                echo "<td width = '400px'>";

                echo "<video width = '140' height = '90' src='";

                echo $row['url'] . "' controls>
<embed
src='";
echo $row['album_url'] . "
width='300'
height='90'
loop='false'
autostart='false'>
</video>";

                echo "</td>";

            echo "</tr>";
        }
    }
}

```

```
    }
    echo "</table>";

    // Free result set
    mysqli_free_result($result);

    } else{
        echo "No records matching your query were found.";
    }
} else{
    echo "ERROR: Could not able to execute $sql. " .
mysqli_error($link);
}

// Close connection
mysqli_close($link);

?>
```

```
<!----->
----->
```

```
</p>
```

```
<hr>
```

```
</div>
```

```
</section>
```

```
<div class="main supporting" id="zen-supporting" role="main">
```

```
    <div class="requirements" id="zen-requirements"
role="article">
```

```
        <br><p role="contentinfo" align = "right"
/><h2>tonyalmighty.software &copy All Rights
Reserved</h2></a></p><br>
    </div>
```

```
</div>
```

```

<aside class="sidebar" role="complementary">
  <div class="wrapper">

    <div class="design-selection" id="design-selection">
      <h3 class="select">Select a Design:</h3>
      <nav role="navigation">
        <ul>
          <li>

            <form action="search.php" method="POST">

              <input type="text" size="20" name="title"
value = "Search"/>

            </li><br>

            <li><hr></li>
            <li>
              <a href="/index.php" class="design-
name">Home</a>
              </li>
              <li>
                <a href="http://www.tonymighty.com"
class="design-name">Links</a>
              </li>
              <li>
                <a href="/contact_me.php" class="design-
name">Contact</a>
              </li>
            <li><hr></li>

          </nav>
        </div>

        <div class="design-archives" id="design-archives">

          <nav role="navigation">
            <ul>
              <li class="next">

                </li>
              <li class="viewall">

                </li>
            </ul>
          </nav>
        </div>

      </aside>

```

```
</div>

</body>
</html>
```

## **videolist.php**

```
<?php

        session_start();
//echo $_SESSION["u_n"] . " " ;
?>

<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="utf-8">
  <title>tonyalmighty.software</title>

  <link rel="stylesheet" type="text/css" href="style_.css" />
  <meta name="viewport" content="width=device-width, initial-
scale=1.0">
  <meta name="author" content="Carmine Rendina">
  <meta name="description" content="Php Mysql Zend CSS-based
design.">
</head>

<!--

-->

<body id="css-zen-garden">

<div class="page-wrapper">

  <section class="intro" id="zen-intro">
    <header role="banner">
      <h1> <a href="/index.php">[ tonyalmighty.software ]
</a></h1>

    </header>

    <div class="summary" id="zen-summary" role="article">
      <p>
```

</p>

<p>

<a href="register user.php"><b>Register</b></a> | <a href="/index.php">Home</a> | <a href="http://www.tonyalmighty.com/">Links</a> | <a href="/contact\_me.php">Contact</a>

</div>

<!-- Start Paragraph -->

<div class="preamble" id="zen-preamble" role="article">

<h1> <a href="videolist.php">Video Playlist</a></h1>

<hr>

</p>

<p>

<!------->

<?php require("videosearch.php"); ?>

<!------->

</p>

```
<hr>
```

```
</div>  
</section>
```

```
<div class="main supporting" id="zen-supporting" role="main">
```

```
<div class="requirements" id="zen-requirements"  
role="article">
```

```
<br><p role="contentinfo" align = "right"  
><h2>tonyalmighty.software &copy; All Rights  
Reserved</h2></a></p><br>  
</div>
```

```
</div>
```

```
<aside class="sidebar" role="complementary">
```

```
<div class="wrapper">
```

```
<div class="design-selection" id="design-selection">
```

```
<h3 class="select">Select a Design:</h3>
```

```
<nav role="navigation">
```

```
<ul>
```

```
<li>
```

```
<form action="videolist.php" method="POST">
```

```
<input type="text" size="20" name="title"  
value = "Search"/>
```

```
</li><br>
```

```
<li><hr></li>
```

```
<li>
```

```
<a href="/index.php" class="design-  
name">Home</a>
```

```
</li>
```

```
<li>
```

```
<a href="http://www.tonyalmighty.com"  
class="design-name">Links</a>
```

```
</li>
```

```
<li>
```

```
<a href="/contact_me.php" class="design-  
name">Contact</a>
```

```
</li>
```

```
<li><a href="upload-video.php">Upload  
Video</a></li>
```

```
<li><hr></li>
```

```
        </nav>
    </div>

    <div class="design-archives" id="design-archives">

        <nav role="navigation">
            <ul>
                <li class="next">

                    </li>
                <li class="viewall">

                    </li>
            </ul>
        </nav>
    </div>
```

```
</aside>
```

```
</div>
```

```
</body>
```

```
</html>
```

## **videosearch.php**

```
<?php
```

```
//echo $_SESSION["u_n"] . " " ;
```

```
//$var = $_SESSION["u_n"];
?>
```

```
<?php
```

```
$link = mysqli_connect("localhost","root","","blog_db");
```

```
// Check connection
if($link === false){
    die("ERROR: Could not connect. " . mysqli_connect_error());
}
```

```
error_reporting(E_ALL & ~E_NOTICE);
```

```
$search = $_POST['title'];
```



```

// Attempt select query execution
$sql = "SELECT * FROM videos WHERE title LIKE '%$search%'";

if($result = mysqli_query($link, $sql)){
    if(mysqli_num_rows($result) > 0){
        echo "<table border = '0'>";
        echo "<tr>";

            //echo "<th>id</th>";
            //echo "<th>title</th>";
            //echo "<th>url</th>";

        echo "</tr>";
        while($row = mysqli_fetch_array($result)){

            //echo "<tr>";
            echo "<tr class='hoverTable'>";

                echo "<td width = '300px'><b><p class='wb-stl-
normal'>" . "Id: " . $row['id'] . "</b></td>";

                echo "<td width = '400px'><b>" . "<a
href=play.php?track_id='" . $row['id'] . "'>" . $row['title'] .
"</a></b></td>";

                // echo "<td width = '400px'><b>" . "<a href='" .
$row['album_url'] . "'>" . $row['album_name'] . "</a></b></td>";

                //echo "<td><b>" . "<a href='" . $row['album_url']
. "'>" . "<img src='" . $row['album_pix'] . "' width='60'
height='60'>" . "</img></a></b></td>";

                echo "<td width = '400px'><b><p class='wb-stl-
normal'>" . $row['user_id'] . "</b></td>";

            echo "<td width = '400px'>";

            echo "<video width = '140' height = '90' src='";

            echo $row['url'] . "' controls>
<embed
src='";
            echo $row['album_url'] . "
width='300'
height='90'
loop='false'
autostart='false'>
</video>";

            echo "</td>";

        echo "</tr>";
    }
}

```

```
    }
    echo "</table>";

    // Free result set
    mysqli_free_result($result);


    } else{
        echo "No records matching your query were found.";
    }
} else{
    echo "ERROR: Could not able to execute $sql. " .
mysqli_error($link);
}

// Close connection
mysqli_close($link);

?>
```

## **Mysql Database (blog\_db) tables structure.**

**Blog\_posts structure.**

<input type="checkbox"/>	1	<b>id</b> 	int(11)	No	<i>Nessuno</i>	AUTO_INCREMENT
<input type="checkbox"/>	2	<b>email</b>	varchar(255) latin1_swedish_ci	No	<i>Nessuno</i>	
<input type="checkbox"/>	3	<b>post</b>	text latin1_swedish_ci	No	<i>Nessuno</i>	
<input type="checkbox"/>	4	<b>date_posted</b>	varchar(255) latin1_swedish_ci	No	<i>Nessuno</i>	
<input type="checkbox"/>	5	<b>password</b>	varchar(50) latin1_swedish_ci	No	<i>Nessuno</i>	
<input type="checkbox"/>	6	<b>avatar</b>	varchar(255) latin1_swedish_ci	No	<i>Nessuno</i>	
<input type="checkbox"/>	7	<b>mylike</b>	int(11)	No	<i>Nessuno</i>	
<input type="checkbox"/>	8	<b>dislike</b>	int(11)	No	<i>Nessuno</i>	
<input type="checkbox"/>	9	<b>image</b>	varchar(255) latin1_swedish_ci	No	<i>Nessuno</i>	
<input type="checkbox"/>	10	<b>title</b>	varchar(255) latin1_swedish_ci	No	<i>Nessuno</i>	
<input type="checkbox"/>	11	<b>image_url</b>	varchar(255) latin1_swedish_ci	No	<i>Nessuno</i>	
<input type="checkbox"/>	12	<b>user_name</b>	varchar(255) latin1_swedish_ci	No	<i>Nessuno</i>	
<input type="checkbox"/>	13	<b>surname</b>	varchar(255) latin1_swedish_ci	No	<i>Nessuno</i>	
<input type="checkbox"/>	14	<b>dob</b>	varchar(255) latin1_swedish_ci	No	<i>Nessuno</i>	
<input type="checkbox"/>	15	<b>tel</b>	varchar(255) latin1_swedish_ci	No	<i>Nessuno</i>	
<input type="checkbox"/>	16	<b>mail</b>	varchar(255) latin1_swedish_ci	No	<i>Nessuno</i>	
<input type="checkbox"/>	17	<b>web</b>	varchar(255) latin1_swedish_ci	No	<i>Nessuno</i>	
<input type="checkbox"/>	18	<b>address</b>	varchar(255) latin1_swedish_ci	No	<i>Nessuno</i>	
<input type="checkbox"/>	19	<b>town</b>	varchar(255) latin1_swedish_ci	No	<i>Nessuno</i>	
<input type="checkbox"/>	20	<b>postcode</b>	varchar(255) latin1_swedish_ci	No	<i>Nessuno</i>	
<input type="checkbox"/>	21	<b>country</b>	varchar(255) latin1_swedish_ci	No	<i>Nessuno</i>	
<input type="checkbox"/>	22	<b>birthplace</b>	varchar(255) latin1_swedish_ci	No	<i>Nessuno</i>	
<input type="checkbox"/>	23	<b>hobby</b>	varchar(255) latin1_swedish_ci	No	<i>Nessuno</i>	
<input type="checkbox"/>	24	<b>school</b>	varchar(255) latin1_swedish_ci	No	<i>Nessuno</i>	
<input type="checkbox"/>	25	<b>occupation</b>	varchar(255) latin1_swedish_ci	No	<i>Nessuno</i>	

**Flow structure.**

1	<b>log_id</b>	varchar(255)	latin1_swedish_ci	No
2	<b>following</b>	varchar(255)	latin1_swedish_ci	No
3	<b>follower_name</b>	varchar(255)	latin1_swedish_ci	No
4	<b>avatar</b>	varchar(255)	latin1_swedish_ci	No
5	<b>avatar2</b>	varchar(255)	latin1_swedish_ci	No


## Videos structure.

1	<b>id</b> 🔑	int(11)		No
2	<b>title</b>	varchar(255)	latin1_swedish_ci	No
3	<b>url</b>	varchar(255)	latin1_swedish_ci	No
4	<b>user_id</b>	varchar(255)	latin1_swedish_ci	No

## video\_blog structure

1	<b>id</b> 🔑	int(11)		No	AUTO_INCREMENT
2	<b>video_id</b>	varchar(255)	latin1_swedish_ci	No	
3	<b>user_id</b>	varchar(255)	latin1_swedish_ci	No	
4	<b>avatar</b>	varchar(255)	latin1_swedish_ci	No	
5	<b>post</b>	text	latin1_swedish_ci	No	
6	<b>date_posted</b>	varchar(255)	latin1_swedish_ci	No	

End of program.



**NOT JUST SOFTWARE! NOT JUST BOOK! BUT JUST ART!**

www.tonyalmighty.software © All rights reserved 2018  
Penelopes Retaken © All rights reserved 2018

To Annie.

Tony Almighty